

Publications of Aaron M. Bauer

Dear Colleague,

The following lists my publications through 20 August 2012. Pdf copies are available on an individual request basis for most. Hard copy versions are still available for some papers and you are invited to contact me at aaron.bauer@villanova.edu if you have specific requests for paper copies. Please contact the publisher of each paper if you wish to make multiple copies, reproduce figures, or post papers on other sites.

These publications are provided on an exchange basis. I would appreciate receiving your publications dealing with herpetology, biogeography, systematics, vertebrate morphology, and the history of biology. These may be sent to me at:

**Aaron M. Bauer
Department of Biology
Villanova University
800 Lancaster Avenue
Villanova, Pennsylvania 19085-1699
USA**

I prefer hard copies if possible but would appreciate pdf versions of your publications if these are not available.

1	Bauer, A. M. 1985. New Zealand Herpetology [review]. <i>Herpetologica</i> 41:116-118.
2	Bauer, A. M. 1985. Notes on the taxonomy, morphology and behavior of <i>Rhacodactylus chahoua</i> (Bavay) (Reptilia: Gekkonidae). <i>Bonn. Zool. Beitr.</i> 36:81-94.
3	Bauer, A. M. 1985. An annotated bibliography of New Caledonian herpetology. <i>Smithsonian Herpetol. Inform. Serv. No.</i> 66:1-15.
4	Bauer, A. M. and A. P. Russell. 1986. <i>Hoplodactylus delcourtii</i> n. sp. (Reptilia: Gekkonidae), the largest known gecko. <i>New Zealand J. Zool.</i> 13:141-148.
5	Bauer, A. M. 1986. Saltation in <i>Delma tincta</i> (Reptilia: Pygopodidae). <i>J. Herpetol.</i> 20:462-463.
6	Bauer, A. M. and D. A. Good. 1986. Scaling of scansorial surface area in the genus <i>Gekko</i> . pp. 363-366 in <i>Studies in Herpetology</i> . Rocek, Z. (ed). Prague: Charles University and Societas Europaea Herpetologica.
7	Russell, A. P. and A. M. Bauer. 1986. Le gecko géant <i>Hoplodactylus delcourtii</i> et ses relations avec le gigantisme et l'endémisme insulaire chez les Gekkonidae. <i>Mesogéé</i> 46:25-28.
8	Bauer, A. M. 1987. The Gekkonid Fauna of the U.S.S.R. and Adjacent Countries [review]. <i>Copeia</i> 1987:525-527.
9	Bauer, A. M. 1987. <i>Rhamphophlops braminus</i> . [first New Caledonian record]. <i>Herpetol. Rev.</i> 19:41.
10	Whitaker, A. H. and A. M. Bauer. 1987. Request for information: early references to large lizards. <i>Turnbull Library Rec.</i> 20:103.
11	Bauer, A. M. and A. P. Russell. 1987. <i>Hoplodactylus delcourtii</i> (Reptilia: Gekkonidae) and the kawekawaeau of Maori folklore. <i>J. Ethnobiol.</i> 7:83-91.
12	Russell, A. P., A. M. Bauer and R. L. Walker. 1987. Microfil injections of small vertebrates: an adjunct to clearing and staining. <i>Collection Forum</i> 3:3-5.
13	Bauer, A. M. and A. P. Russell. 1987. Supraocular bones in geckos [abstract]. <i>Amer. Zool.</i> 27:126A.
14	Russell, A. P. and A. M. Bauer. 1987. Morphology of the tail tip of the gekkonid genus <i>Nephrurus</i> [abstract]. <i>Amer. Zool.</i> 27:64A.
15	Bauer, A. M. and K. D. DeVaney. 1987. Convergence and mimicry in sea snakes and other New Caledonian reef flat organisms. pp. 43-48 in <i>Proceedings of the 4th Ordinary General Meeting of the Societas Europaea Herpetologica</i> . van Gelder, J. J., H. Strijbosch and P. J. M. Bergers (eds). Nijmegen: Catholic University of Nijmegen.
16	Bauer, A. M. and K. D. DeVaney. 1987. Comparative aspects of diet and habitat use in some New Caledonian lizards. <i>Amph.-Rept.</i> 8:349-364.
17	Russell, A. P. and A. M. Bauer. 1987. Rediscovery of <i>Uroplatus guentheri</i> Mocquard (Reptilia: Gekkonidae). <i>Bull. Mus. Natl. Hist. Nat. Paris</i> , 4 ^e ser. 9, sect. A:961-966.
18	Russell, A. P. and A. M. Bauer. 1987. Caudal morphology of the knob-tailed geckos, genus <i>Nephrurus</i> (Reptilia: Gekkonidae), with special reference to the tail tip. <i>Austral. J. Zool.</i> 35:541-552.
19	Bauer, A. M. 1987. The proper Latin designation of Duvaucel's gecko, with comments on specimens of historical note. <i>New Zealand J. Zool.</i> 14:593-595.
20	Russell, A. P. and A. M. Bauer. 1988. An early description of a member of the genus <i>Phelsuma</i> (Reptilia: Gekkonidae), with comments on names erroneously applied to <i>Uroplatus fimbriatus</i> . <i>Amph.-Rept.</i> 9:107-116.
21	Russell, A. P., R. L. Walker and A. M. Bauer. 1988. A technique for visualization of the circulatory system in small lizards. <i>Copeia</i> 1988:797-800.
22	Russell, A. P. and A. M. Bauer. 1988. Alternative designs of and potential constraints on the morphology of digit I in geckos [abstract]. <i>Amer. Zool.</i> 28:38A.
23	Bauer, A. M., A. P. Russell and R. E. Shadwick. 1988. Morphological and mechanical aspects of integumentary autotomy in the gecko <i>Ailuronyx</i> [abstract]. <i>Amer. Zool.</i> 28:194A.
24	Bauer, A. M. and A. P. Russell. 1988. Morphology of the gekkonid cutaneous sensilla, with comments on function and phylogeny in the Carphodactylini (Reptilia: Gekkonidae). <i>Can. J. Zool.</i> 66:1583-1588.
25	Russell, A. P. and A. M. Bauer. 1988. Paraphalangeal elements of gekkonid lizards: a comparative survey. <i>J. Morphol.</i> 197:221-240.
26	Bauer, A. M. 1988. A geological basis for some herpetofaunal disjunctions in the Southwest Pacific, with special reference to Vanuatu. <i>Herpetol. J.</i> 1:259-263.

27	Bauer, A. M. 1988. <i>Leptotyphlops occidentalis</i> , western worm snake -- size and distribution. J. Herpetol. Assoc. Africa. 34:45.
28	Bauer, A. M. and A. P. Russell. 1988. Osteological evidence for the prior occurrence of a giant gecko in Otago, New Zealand. <i>Cryptozool</i> . 7:22-37.
29	Bauer, A. M. 1988. Kadimakara [review]. <i>Cryptozool</i> . 7:84-87.
30	Bauer, A. M. and A. P. Russell. 1988. Evidence for the tzuchinoko is equivocal. <i>Cryptozool</i> . 7:110-113.
31	Bauer, A. M. and H. I. Rosenberg. 1988. Preliminary laboratory observations of temperature effects on tail-squirting in two species <i>Diplodactylus</i> (Reptilia: Gekkonidae). <i>Herpetofauna</i> 18(2):5-7.
32	Perry, S. F., A. M. Bauer, A. P. Russell, J. T. Alston and J. E. Maloney. 1989. The lungs of the gecko <i>Rhacodactylus leachianus</i> (Reptilia: Gekkonidae): a correlative gross anatomical, light- and electron microscopic study. <i>J. Morphol.</i> 199:23-40.
33	Bauer, A. M. and A. P. Russell. 1989. A systematic review of the genus <i>Uroplatus</i> (Reptilia: Gekkonidae) with notes on its biology. <i>J. Nat. Hist.</i> 23:169-203.
34	Bauer, A. M. 1989. Reptiles and the biogeographic interpretation of New Caledonia. <i>Tuatara</i> 30:39-50.
35	Bauer, A. M. 1989. The Ancestry of Vertebrates [review]. <i>J. Geol. Educat.</i> 37:142-143.
36	Bauer, A. M. and A. P. Russell. 1989. Supraorbital ossifications in geckos (Reptilia: Gekkonidae). <i>Can. J. Zool.</i> 67:678-684.
37	Bauer, A. M., A. P. Russell and H. I. Rosenberg. 1989. Formal taxa, species groups and the perception of the genus <i>Diplodactylus</i> (Reptilia: Gekkonidae). <i>Z. f. Syst. Evolutionsf.</i> 27:44-48.
38	Rosenberg, H. I., A. M. Bauer and A. P. Russell. 1989. Surface morphology of the developing hemipenes of the dwarf chameleon, <i>Bradypodion pumilum</i> (Reptilia: Chamaeleonidae). <i>Can. J. Zool.</i> 67:884-890.
39	Russell, A. P. and A. M. Bauer. 1989. Ungual asymmetry in the context of pedal symmetry in <i>Ailuronyx</i> (Reptilia: Gekkonidae): modification for an opposable grip. <i>J. Zool.</i> , London 219:1-9.
40	Bauer, A. M. 1989. Extracranial endolymphatic sacs in <i>Eurydactylodes</i> (Reptilia: Gekkonidae), with comments on endolymphatic function in lizards in general. <i>J. Herpetol.</i> 23:172-175.
41	Russell, A. P. and A. M. Bauer. 1989. The morphology of the digits of the golden gecko, <i>Calodactylodes aureus</i> (Reptilia: Gekkonidae) and its implications for the occupation of rupicolous habitats. <i>Amph.-Rept.</i> 10:125-140.
42	Bauer, A. M., A. P. Russell, and R. E. Shadwick. 1989. Mechanical properties and morphological correlates of fragile skin in gekkonid lizards. <i>J. Exp. Biol.</i> 145:79-102.
43	Russell, A. P. and A. M. Bauer. 1989. Hypertrophied phalangeal epiphyses in the gekkonid lizard genus <i>Phelsuma</i> : a unique aid to adhesion. [abstract]. <i>Ann. Soc. Roy. Zool. Belg.</i> 119, suppl. 1:72.
44	Bauer, A. M., A. P. Russell and B. D. Edgar. 1990. Utilization of the termite <i>Hodotermes mossambicus</i> (Hagen) by gekkonid lizards near Keetmanshoop, South West Africa. <i>S. Afr. J. Zool.</i> 24 [1989]:239-243.
45	Bauer, A. M. 1990. <i>Pachydactylus mariquensis latirostris</i> [natural history note]. <i>J. Herpetol. Assoc. Africa</i> . 37:57.
46	Russell, A. P. and A. M. Bauer. 1990. Hypertrophied phalangeal chondroepiphyses in the gekkonid lizard genus <i>Phelsuma</i> : their relation to the adhesive mechanism. <i>J. Zool.</i> , London 221:205-217.
47	Bauer, A. M. 1990. More on monotremes. <i>Cryptozoology</i> 8(1989):113-114.
48	Bauer, A. M. 1990. The Southern Ark, Zoological Discovery in New Zealand 1769-1900 [review]. <i>Cryptozoology</i> 8(1989):83-87.
49	Bauer, A. M., A. P. Russell and N. R. Dollahon. 1990. Skin folds in the gekkonid lizard genus <i>Rhacodactylus</i> : a natural test of the damage limitation hypothesis of mite pocket function. <i>Can. J. Zool.</i> 68:1196-1201.
50	Bauer, A. M. 1990. Phylogenetic systematics and biogeography of the Carphodactylini (Reptilia: Gekkonidae). <i>Bonn. Zool. Monogr.</i> 30:1-220. To purchase hard copy contact: d.steinebach.zfmk@uni-bonn.de
51	Bauer, A. M. and J. V. Vindum. 1990. A checklist and key to the herpetofauna of New Caledonia, with remarks on biogeography. <i>Proc. Calif. Acad. Sci.</i> 47:17-45.
52	Bauer, A. M. and A. P. Russell. 1990. Dentitional diversity in <i>Rhacodactylus</i> (Reptilia: Gekkonidae). <i>Mem. Qld. Mus.</i> 29:311-322.

53	Bauer, A. M. and A. P. Russell. 1990. Alternative scansor design in the New Caledonian gekkonid genera <i>Bavayia</i> and <i>Eurydactylodes</i> . Mem. Qld. Mus. 29:299-310.
54	Russell, A. P. and A. M. Bauer. 1990. Digit I in pad-bearing gekkonine geckos: alternative designs and the potential constraints of phalangeal number. Mem. Qld. Mus. 29:453-472.
55	Russell, A. P. and A. M. Bauer. 1990. <i>Oedura</i> and <i>Afroedura</i> (Reptilia: Gekkonidae) revisited: similarities of digital design and constraints on the development of multiscansorial pads? Mem. Qld. Mus. 29:473-486.
56	Russell, A. P. and A. M. Bauer. 1990. Structure of the vocal apparatus of the tokay (<i>Gekko gecko</i>). [abstract]. Amer. Zool. 30:78A.
57	Bauer, A. M., A. P. Russell and R. E. Shadwick. 1990. Skin mechanics and morphology of the gecko <i>Sphaerodactylus roosevelti</i> . [abstract]. Amer. Zool. 30:101A.
58	Russell, A. P. and A. M. Bauer. 1990. Substrate excavation in the Namibian web-footed gecko, <i>Palmatogecko rangei</i> Andersson 1908, and its ecological significance. Trop. Zool. 3:197-207.
59	Bauer, A. M. 1990. Gekkonid lizards as prey of invertebrates and predators of vertebrates. Herpetol. Rev. 21:83-87.
60	Bauer, A. M. 1990. Phylogeny and biogeography of the geckos of southern Africa and the islands of the western Indian Ocean: a preliminary analysis. Pp. 274-284 in Peters, G. and R. Hutterer (eds), Vertebrates in the Tropics. Bonn: Zoologisches Forschungsinstitut und Museum A. Koenig.
61	Bauer, A. M. and A. P. Russell. 1991. The maximum size of giant geckos: a cautionary tale. Bull. Chicago Herpetol. Soc. 26:25-26.
62	Russell, A.P. and A.M. Bauer. 1991. The giant gecko <i>Hoplodactylus delcourtii</i> and its relations to gigantism and insular endemism in the Gekkonidae. Bull. Chicago Herp. Soc. 26:26-30. [translation by Paul Grifis of original French article in Mésogée 46:25-28].
63	Bauer, A. M. and A. P. Russell. 1991. Pedal specializations in dune-dwelling geckos. J. Arid. Envir. 20:43-62.
64	Russell, A.P. and A.M. Bauer. 1991. Amphibians and reptiles of the Calgary area. Pica 11:3-15 [Also published under the same title in Alberta Naturalist 21[1991]:123-128 and Alberta Reptile and Amphibian Society 26[1991]:12-23 without knowledge of authors].
65	Bauer, A. M. and A. P. Russell. 1991. Recent advances in the search for the living giant gecko of New Zealand. Cryptozoology 9[1990]:66-73.
66	Bauer, A. M. 1991. Exotic Zoology [review]. Cryptozoology 9[1990]:88-91.
67	Chazeau, J. and A.M. Bauer. 1991. <i>Lepidodactylus lugubris</i> [distribution in New Caledonia]. Herpetol. Rev. 22:103.
68	Bauer, A. M. 1991. New reptile records from the Little Karoo. J. Herpetol. Assoc. Afr. 39:18
69	Bauer, A. M. 1991. Geographical distribution: <i>Pachydactylus mariquensis mariquensis</i> . J. Herpetol. Assoc. Afr. 39:19.
70	Bauer, A.M. and W.R. Branch. 1991. Notes on <i>Pachydactylus fasciatus</i> , a poorly known gecko from northern Namibia. J. Herpetol. Assoc. Afr. 39:1-5.
71	Bauer, A.M. and R. Günther. 1991. An annotated type catalogue of the geckos (Reptilia: Gekkonidae) in the collection of the Zoological Museum, Berlin. Zool. Mitt. Mus. Berlin. 67:279-310.
72	Moore, B. A., A. P. Russell and A. M. Bauer. 1991. The structure of the larynx of the tokay gecko (<i>Gekko gecko</i>), with particular reference to the vocal cords and glottal lips. J. Morphol. 210:227-238.
73	Russell, A. P. and A. M. Bauer. 1991. <i>Anolis grahami</i> . Cat. Amer. Amph. Rept. 514.1-4.
74	Russell, A. P. and A. M. Bauer. 1991. <i>Anolis garmani</i> . Cat. Amer. Amph. Rept. 513.1-3.
75	Russell, A. P. and A. M. Bauer. 1991. <i>Anolis opalinus</i> . Cat. Amer. Amph. Rept. 515.1-2.
76	Bauer, A. M. and R. Günther. 1992. A preliminary report on the reptile fauna of the Kingdom of Bhutan, with the description of a new species of scincid lizard. Asiatic Herpetol. Res. 4:23-36.
77	Bauer, A. M., A. Renevier and R. A. Sadlier. 1992. <i>Caledoniscincus austrocaledonicum</i> (Reptilia: Scincidae) from Ile Surprise, d'Entrecasteaux Reefs, New Caledonia. Pac. Sci. 46:86-89.
78	Bauer, A. M. 1992. Classification of life's diversity. pp 318-329 [and contributions to other chapters] in Starr, C. and R. Taggart, Biology, The Unity and Diversity of Life, 6th ed. Belmont, CA: Wadsworth Publishing.
NOT AVAILABLE FOR DISTRIBUTION	
79	Bauer, A. M., A. P. Russell and R. E. Shadwick. 1992. Skin mechanics and morphology in

	<i>Sphaerodactylus roosevelti</i> (Reptilia: Gekkonidae). Herpetologica 48:124-133.
80	Russell, A. P. and A. M. Bauer. 1992. The m. caudifemoralis longus and its relationship to caudal autotomy and locomotion in lizards. J. Zool. London 227:127-143.
81	Bauer, A.M. 1992. Lizards. Pp. 126-173 in Reptiles and Amphibians, H.G. Cogger and R.G. Zweifel, eds. New York: Smithmark Publishers. NOT AVAILABLE FOR DISTRIBUTION Available from Bibliomania! http://www.herplit.com/
82	Bauer, A.M. 1992. Herpetologischer Bibliographien II. [review]. Herpetol. Rev. 23:93-94.
83	Branch, W. R. and A. M. Bauer. 1992. The status of <i>Phyllodactylus peringueyi</i> (Reptilia: Gekkonidae) [extended abstract]. J. Herpetol. Assoc. Afr. 40:21.
84	Bauer, A. M. 1992. Herpetofaunal patterns in the Kamanjab District and adjacent Damaraland, Namibia [extended abstract]. J. Herpetol. Assoc. Afr. 40:37.
85	Bauer, A.M. and A.P. Russell. 1992. The evolutionary significance of regional integumentary loss in island geckos: a complement to caudal autotomy. Ethol., Ecol., Evol. 4:343-358.
86	Russell, A.P., A.M. Bauer and R. Laroiya. 1992. Morphological correlates of the secondarily symmetrical pes of the tokay gecko (Reptilia: Gekkonidae) [abstract]. Amer. Zool. 32:150A.
87	Bauer, A.M. and A.P. Russell. 1992. Caudal morphology and caudal autotomy in prehensile-tailed carphodactyline geckos [abstract]. Amer. Zool. 32:138A.
88	Ineich, I., and A.M. Bauer. 1992. Nouvelles données sur la date d'arrivée du premier serpent terrestre en Nouvelle Calédonie. Bull. Soc. Herpetol. France 59 [1992]:49.
89	Bauer, A.M., and R.A. Sadlier. 1992. The use of mouse glue traps to capture lizards. Herpetol. Rev. 23:112-113.
90	Bauer, A.M. 1992. Atlas de Repartition des Batraciens et Reptiles de Corse [review]. Herpetol. Rev. 23:127-128.
91	Bauer, A.M. and A.P. Russell. 1992. Regional integumentary loss as an escape strategy in island gekkonid lizards. pp. 69-71 in Proceedings of the 6th Ordinary General Meeting of the Societas Europaea Herpetologica, Z. Korsós and I. Kiss (eds). Budapest: Hungarian Natural History Museum.
92	Bauer, A.M., J. Doherty, and A.P. Russell. 1992. Vocalizations of the New Caledonian giant gecko, <i>Rhacodactylus leachianus</i> . Amphib.-Reptil. 13:412-417.
93	Bauer, A.M. 1993. The Search for Nessie in the 1980's, Symposium on the Loch Ness Monster [review]. Cryptozoology 10[1991]:93-98.
94	Good, D.A., A.M. Bauer, and R. Günther. 1993. An annotated type catalogue of the anguimorph lizards (Squamata: Anguidae, Helodermatidae, Varanidae, Xenosauridae) in the Zoological Museum, Berlin. Mitt. Zool. Mus. Berlin 69:45-56.
95	Bauer, A.M., D.A. Good, and R. Günther. 1993. An annotated type catalogue of the caecilians and salamanders (Amphibia: Gymnophiona and Caudata) in the Zoological Museum, Berlin. Mitt. Zool. Mus. Berlin 69:285-306.
96	Bauer, A.M., A.P. Russell, and N.R. Dollahon. 1993. Function of mite pockets of lizards: a reply to E.N. Arnold. Can. J. Zool. 71:865-868.
97	Bauer, A.M., J.V. Vindum, and R.C. Drewes. 1993. A summary of African holdings and African research of the Department of Herpetology, California Academy of Sciences. J. Herpetol. Assoc. Afr. 41[1992]:10-13.
98	Bauer, A.M. 1993. <i>Pachydactylus punctatus punctatus</i> [distributional note]. J. Herpetol. Assoc. Afr. 41[1992]:37-38.
99	Günther, R., A. Bauer, and D. King. 1993. Geographical distribution: <i>Hemidactylus mabouia</i> . Herpetol. Rev. 24:66.
100	Bauer, A.M. 1993. Second World Congress of Herpetology literature review. Herpetol. Rev. 24:69-71.
101	Bauer, A.M. 1993. Reptiles and Amphibians of Australia, 5th ed. [review]. Herpetol. Rev. 24:72-73.
102	Miehle, C.E., and A.M. Bauer. 1993. Visceral vasculature in the family Cordylidae (Reptilia: Squamata). S. Afr. J. Zool. 28:146-154.
103	Bauer, A. M. 1993. African-South American relationships: a perspective from the Reptilia. pp. 245-288 in Goldblatt, P. (ed), Biological Relationships Between Africa and South America. New Haven: Yale University Press.

104	Castanzo, R.A., and A.M. Bauer. 1993. Diet and activity of <i>Mabuya acutilabris</i> (Reptilia: Scincidae) in Namibia. <i>Herpetol. J.</i> 3:130-135.
105	Russell, A.P. and A.M. Bauer. 1993. The Amphibians and Reptiles of Alberta: A Field Guide and Primer of Boreal Herpetology. Calgary & Edmonton: University of Calgary Press & University of Alberta Press. x + 264 pp. NOT AVAILABLE FOR DISTRIBUTION Out of Print. Occasionally available from Bibliomania! http://www.herplit.com/
106	Bauer, A.M., A.P. Russell, and R.E. Shadwick. 1993. Skin mechanics and morphology of two species of <i>Pachydactylus</i> (Reptilia: Gekkonidae). <i>S. Afr. J. Zool.</i> 28:192-197.
107	Bauer, A.M., and R. Sadlier. 1993. Systematics, biogeography and conservation of the lizards of New Caledonia. <i>Biodiversity Letters</i> 1:107-122.
108	Bauer, A.M., W.R. Branch and W.D. Haacke. 1993. The herpetofauna of the Kamanjab area and adjacent Damaraland, Namibia. <i>Madoqua</i> 18:117-145.
109	Bauer, A.M. and A.P. Russell. 1993. <i>Aristelliger</i> . Cat. Amer. Amphib. Reptil. 565.1-4.
110	Bauer, A.M. and A.P. Russell. 1993. <i>Aristelliger barbouri</i> . Cat. Amer. Amphib. Reptil. 566.1.
111	Bauer, A.M. and A.P. Russell. 1993. <i>Aristelliger georgeensis</i> . Cat. Amer. Amphib. Reptil. 568.1-2.
112	Bauer, A.M. and A.P. Russell. 1993. <i>Aristelliger hechti</i> . Cat. Amer. Amphib. Reptil. 569.1-2.
113	Bauer, A.M. and A.P. Russell. 1993. <i>Aristelliger lar</i> . Cat. Amer. Amphib. Reptil. 570.1-3.
114	Bauer, A.M. and A.P. Russell. 1993. <i>Aristelliger praesignis</i> . Cat. Amer. Amphib. Reptil. 571.1-4.
115	Bauer, A.M., A.P. Russell, and R.E. Shadwick. 1993. Skin mechanics and morphology of the gecko <i>Teratoscincus scincus</i> . <i>Amphib.-Reptil.</i> 14:321-331.
116	Bauer, A.M., M. Lang, and R. Günther. 1994. An annotated type catalogue of the pygopods, xantusiids, gerrhosaurids and cordylids (Reptilia: Squamata: Pygopodidae, Xantusiidae, Gerrhosauridae and Cordylidae) in the collection of Zoological Museum, Berlin. <i>Mitt. Zool. Mus. Berlin</i> 70:85-92.
117	Bauer, A.M. 1994. Das Tierreich 109. Gekkonidae. Part 1, Australia and Oceania. Berlin: Walter De Gruyter Publishers. xiii + 306 pp (with K. Henle as a contributor). Hard copy available from Bibliomania! http://www.herplit.com/
118	Lauff, R.F., A.P. Russell and A.M. Bauer. 1994. Topography of the digital cutaneous sensilla of the tokay, <i>Gekko gecko</i> (Reptilia, Gekkonidae) and their potential role in locomotion. <i>Can. J. Zool.</i> 71:2462-2472.
119	Bauer, A.M. 1994. Natural Mysteries: Monster Lizards, English Dragons, and Other Puzzling Animals [book review]. <i>Cryptozooiology</i> 11[1992]:116-119.
120	Bauer, A.M. and R. Günther. 1994. An annotated type catalogue of the teiid and microteiid lizards in the Zoological Museum, Berlin (Reptilia: Squamata: Teiidae and Gymnophthalmidae). <i>Mitt. Zool. Mus. Berlin</i> 70:267-280.
121	Bauer, A.M. 1994. On the identity of <i>Euprepes samoensis moluccensis</i> Peters, 1854. <i>J. Herpetol.</i> 28:257-258.
122	Bauer, A.M. and R.A. Sadlier. 1994. The terrestrial herpetofauna of the Ile des Pins, New Caledonia. <i>Pacific Sci.</i> 48:353-366.
123	Branch, W.R. and A.M. Bauer. 1994. <i>Phyllodactylus peringueyi</i> (Reptilia: Gekkonidae), its taxonomic history, rediscovery, and phylogenetic affinities. <i>Ann. S. Afr. Mus.</i> 104:13-30.
124	Bauer, A.M. and R.A. Sadlier. 1994. Diet of the New Caledonian gecko <i>Rhacodactylus auriculatus</i> (Squamata, Gekkonidae). <i>Russ. J. Herpetol.</i> 1:108-113.
125	Bauer, A.M. and M. Witwer. 1995. Herpetofauna of Nottingham Park and the serpentine barrens of Chester County, Pennsylvania. <i>Bull. Chicago Herpetol. Soc.</i> 30:3-9.
126	Good, D.A. and A.M. Bauer. 1995. The Namaqua day gecko revisited: allozyme evidence for the affinities of the Namaqua day gecko, <i>Phelsuma ocellata</i> . <i>J. Herpetol. Assoc. Afr.</i> 44:1-9.
127	Lebron, R., A.T. Batra, J. Bontempo, C. Buckley, M. Cron, L. Fenstermacher, C. Mahoney, L. Schmitt and A.M. Bauer. 1995. <i>Leptodactylus albilabris</i> (Caribbean white-lipped frog). Larval diet. <i>Herpetol. Rev.</i> 26:31.
128	Bauer, A.M. and A.P. Russell. 1995. Is autotomy frequency reduced in geckos with "actively functional" tails? <i>Herpetol. Nat. Hist.</i> 2[1994]:1-15.

129	McAllister, C.T., A.M. Bauer and A.P. Russell. 1995. Nonproliferous tetrathyridia of <i>Mesocestoides</i> sp. (Eucestoda: Mesocestoididae) in <i>Ptenopus garrulus maculatus</i> (Sauria: Gekkonidae) from Namibia, South West Africa, with a summary of the genus from Old World lizards. <i>J. Helminthol. Soc. Washington</i> 62:90-94.
130	Bauer, A.M. and R. Günther. 1995. An annotated type catalogue of the lacertid lizards in the Zoological Museum, Berlin (Reptilia: Squamata: Lacertidae). <i>Mitt. Zool. Mus. Berlin</i> 71:37-62.
131	Bauer, A.M. 1995. Mikroskopische Anatomie der Wirbellosen - Ein Farbatlas [book review]. <i>Mitt. Zool. Mus. Berlin</i> . 71:179.
132	Bauer, A.M. and A.P. Russell. 1995. The systematic relationships of <i>Dravidogecko anamallensis</i> (Günther 1875). <i>Asiatic Herpetol. Res.</i> 6:30-35.
133	Bauer, A.M. and W.R. Branch. 1995. Geographic variation in western populations of the <i>Pachydactylus punctatus</i> complex (Reptilia: Gekkonidae). <i>Trop. Zool.</i> 8:69-84.
134	Branch, W.R. and A.M. Bauer. 1995. The herpetofauna of the Little Karoo, Western Cape, South Africa. <i>Herpetol. Nat. Hist.</i> 3:47-89.
135	Witwer, M. and A.M. Bauer. 1995. Early breeding in a captive corn snake (<i>Elaphe guttata guttata</i>). <i>Herpetol. Rev.</i> 26:141.
136	Bauer, A.M., R. Günther and M. Klipfel. 1995. The Herpetological Contributions of Wilhelm Peters (1815-1883). Ithaca, New York: Society for the Study of Amphibians and Reptiles. 714 pages.
NOT AVAILABLE FOR DISTRIBUTION May ordered from: http://www.herplit.com/SSAR/	
137	Bauer, A.M. and W.R. Branch. 1995. The use of radiography in the analysis of resin-embedded lizards. <i>Curator</i> 38:185-189.
138	Bauer, A.M. 1995. Geckos of the genus <i>Rhacodactylus</i> . <i>Reptiles</i> 3(7):32-34, 36, 38-42, 44, 46-49.
139	Branch, W.R., A.M. Bauer and D.A. Good. 1995. Species limits in the <i>Phyllodactylus lineatus</i> complex (Reptilia: Gekkonidae), with the elevation of two taxa to specific status and the description of two new species. <i>J. Herpetol. Assoc. Afr.</i> 44:33-54.
140	Bauer, A.M. 1995. Notes complémentaires du comité de lecture [accompanying Pasteur, G. Biodiversité et reptiles: diagnoses de sept nouvelles espèces fossiles et actuelles du genre de lézards <i>Lygodactylus</i> (Sauria, Gekkonidae)]. <i>Dumerilia</i> 2:20-21.
141	Bauer, A.M., Branch, W.R., and D.A. Good. 1996. A new species of rock-dwelling <i>Phyllodactylus</i> (Squamata: Gekkonidae) from the Richtersveld, South Africa. <i>Occ. Pap. Mus. Nat. Sci. Louisiana St. Univ.</i> 71:1-13.
142	Bauer, A.M. and D.A. Good. 1996. Phylogenetic systematics of the day geckos, genus <i>Rhoptropus</i> (Reptilia: Gekkonidae), of southwestern Africa. <i>J. Zool., London</i> . 238:635-663.
143	Bauer, A.M., Russell, A.P., and G.L. Powell. 1996. The evolution of locomotor morphology in <i>Rhoptropus</i> (Squamata: Gekkonidae). <i>Afr. J. Herpetol.</i> 45:8-30.
144	Bauer, A.M. and W.R. Branch. 1996. <i>Pachydactylus bibronii</i> (Bibron's gecko). Predation. <i>Herpetol. Rev.</i> 27:79-80.
145	Smith, H.M., A.G. Kluge, A.M. Bauer, D. Chiszar. 1996. Case 2960. <i>Hemidactylus garnotii</i> Duméril and Bibron, 1836 (Reptilia, Sauria): proposed conservation of the specific name. <i>Bull. Zool. Nomencl.</i> 53:184-186.
146	Branch, W.R., A.M. Bauer and D.A. Good. 1996. A review of the Namaqua gecko, <i>Pachydactylus namaquensis</i> (Reptilia: Gekkonidae) from southern Africa, with the description of two new species. <i>S. Afr. J. Zool.</i> 31:53-69.
147	Dollahon, N.R., A.M. Bauer and A.P. Russell. 1996. Haemoparasitic protozoans (Plasmodiidae and Haemogregarinidae) from a New Caledonian gekkonid lizard, <i>Rhacodactylus leachianus</i> . <i>Can. J. Zool.</i> 74:2104-2108.
148	Bauer, A.M., R. Günther and H. Robeck. 1996. An annotated type catalogue of the hemisotid, microhylid, myobatrachid, pelobatid and pipid frogs in the Zoological Museum Berlin (Amphibia: Anura: Hemisotidae, Microhylidae, Myobatrachidae, Pelobatidae and Pipidae. <i>Mitt. Zool. Mus. Berlin</i> . 72:259-275.
149	Arntzen, J.W., and Bauer, A.M. (eds). 1996. Species and species concepts - too many or too few? Revised and condensed minutes of the discussion. [from a workshop held at the 8th OGM of the SEH in Bonn, Germany]. <i>Amphibia-Reptilia</i> 17:321-323.

150	Sadlier, R.A. and A.M. Bauer. 1997. The terrestrial herpetofauna of the Loyalty Islands. <i>Pacific Sci.</i> 51: 76-90.
151	Sadlier, R.A. and A.M. Bauer. 1997. A new genus and species of lizard (Reptilia: Scincidae) from New Caledonia, southwest Pacific. <i>Pac. Sci.</i> 51: 91-96.
152	Good, D.A., Bauer, A.M., and Branch, W.R. 1997. A new species of <i>Phyllodactylus</i> (Squamata: Gekkonidae) from the Karoo National Park, South Africa. <i>Afr. J. Herpetol.</i> 45 [1996]:49-58.
153	Bauer, A.M. 1997. Cladogenesis in the leaf-toed geckos (Squamata: Gekkonidae: <i>Phyllodactylus</i>) of the Cape Fold Mountains of South Africa [abstract]. <i>Noticiero de Biología (Chile)</i> 5:90.
154	Wallach, V., and Bauer, A.M. 1997. On the status of <i>Simotes semicinctus</i> Peters, 1862 (Serpentes: Colubridae). <i>Hamadryad</i> . 21:13-18.
155	Russell, A.P., A.M. Bauer, and R. Larooya. 1997. Morphological correlates of the secondarily symmetrical pes of gekkotan lizards. <i>J. Zool.</i> , London 241:767-790.
156	Gans, C., A.M. Bauer and R. Günther. 1997. An annotated type catalogue of the amphisbaenians (Reptilia: Squamata: Amphisbaenia) in the Zoological Museum, Berlin. <i>Mitt. Zool. Mus. Berlin</i> 73:41-50.
157	Branch, W.R., and Bauer, A.M. 1997. Notes on two poorly-known <i>Phyllodactylus</i> (Squamata: Gekkonidae) from South Africa. <i>Herpetol. Nat. Hist.</i> 4[1996]:127-134.
158	Bauer, A.M., and A.P. Russell. 1997. A living plesiosaur?: A critical assessment of the description of <i>Cadborosaurus willsi</i> . <i>Cryptozoology</i> 12:1-18.
159	Bauer, A.M. 1997. Applying rigorous analysis. <i>Cryptozoology</i> 12:115-116.
160	Bauer, A.M. and A.P. Russell. 1997. Introduction. Pp. 1-25 in Comparative osteological examinations of geckonids, eublepharids and uroplatids by V. Wellborn (1933) [translated by A.P. Russell, A.M. Bauer, and A. Deufel]. Breck Bartholomew: Logan, UT.
161	Bauer, A.M. 1997. Geckoes, Biology, Husbandry, and Reproduction [Book Review]. <i>Herpetol. Rev.</i> 28:105-106.
162	Bauer, A.M. 1997. Chamaleons, Bunte Juwelen der Natur: Handbuch der Modernen Chamäleonologie [Book Review]. <i>Herpetol. Rev.</i> 28:106-107.
163	Bauer, A.M., Good, D.A., and Branch, W.R. 1997. The taxonomy of the southern African leaf-toed geckos (Squamata: Gekkonidae), with a review of Old World " <i>Phyllodactylus</i> " and the description of five new genera. <i>Proc. Calif. Acad. Sci.</i> 49:447-497.
164	Sadlier, R.A., Shea, G.M., and Bauer, A.M. 1997. A new genus and species of lizard (Squamata, Scincidae) from New Caledonia, southwest Pacific. <i>Zoologica Neocaledonia</i> 4, Mém. Mus. Natl. Hist. Nat. 171:379-385.
165	Rittenhouse, D.R., Russell, A.P., and Bauer, A.M. 1997. Laryngeotracheal morphology of the <i>Uroplatus fimbriatus</i> complex (Reptilia: Gekkonidae): yet another autapomorphic organ system in a group of highly aberrant geckos. <i>Afr. J. Herpetol.</i> 46:36-48.
166	Good, D.A., Bauer, A.M., and Sadlier, R.A. 1997. Allozyme evidence for the phylogeny of the giant New Caledonian geckos (Squamata: Gekkonidae: <i>Rhacodactylus</i>), with comments on the status of <i>R. leachianus henkeli</i> . <i>Aust. J. Zool.</i> 45:317-330.
167	Bauer, A.M. 1997. A Guide to the Reptiles and Frogs of the Perth Region [Book Review]. <i>Herpetol. Rev.</i> 28:165.
168	Bauer, A.M., R. A. Sadlier, and J. Chazeau. 1997. <i>Litoria aurea</i> : geographic distribution. <i>Herpetol. Rev.</i> 28:156.
169	Bauer, A.M. 1997. The morphology of the adhesive tail tips of carphodactyline geckos (Reptilia: Diplodactylidae). <i>J. Morphol.</i> 235 [1998]:41-58.
170	Bauer, A.M., Good, D.A., and Sadlier, R.A. 1997. Allozyme evidence for the phylogeny of the giant New Caledonian geckos (Squamata: Diplodactylidae: <i>Rhacodactylus</i>), with comments on intraspecific variation [abstract]. <i>N.Z. J. Zool.</i> 24:323.
171	Whitaker, A.H., and Bauer, A.M. 1997. The herpetofauna of New Caledonia: diversity, ecology and conservation [abstract]. <i>N.Z. J. Zool.</i> 24:331.
172	Bauer, A.M. 1997. Amphibien und Reptilien Deutschlands [Book Review]. <i>Herpetol. Rev.</i> 28:219-220.
173	Bauer, A.M. 1997. Peritoneal pigmentation and generic allocation in the Chamaeleonidae. <i>African Journal of Herpetology</i> . 46:117-123.
174	Bauer, A.M. 1997. South African Lizards: Phylogenetic relationships of lizard families. pp. 87-93 in Proceedings of the FitzSimons Commemorative Symposium on South African Lizards: 50 years of

	Progress, J.H. Van Wyk, ed. Stellenbosch: Herpetological Association of Africa.
175	Branch, W.R., and Bauer, A.M. 1997. South African Lizards: <i>Phyllodactylus</i> . pp. 24-28 in Proceedings of the FitzSimons Commemorative Symposium on South African Lizards: 50 years of Progress, J.H. Van Wyk, ed. Stellenbosch: Herpetological Association of Africa.
176	Bauer, A.M. and I. Das. 1998. A new <i>Cnemaspis</i> (Reptilia: Gekkonidae) from southeastern Thailand. <i>Copeia</i> 1998:439-444.
177	Rittenhouse, D.R., Russell, A.P., and Bauer, A.M. 1998. The larynx and trachea of the barking gecko, <i>Ptenopus garrulus maculatus</i> (Reptilia: Gekkonidae) and their relation to vocalization. <i>S. Afr. J. Zool.</i> 33:23-30.
178	Bauer, A.M. 1998. Herpetology [review]. <i>Herpetol. Rev.</i> 29:121-123.
179	Bauer, A.M., and Larsen, E. 1998. Aquatic insects and vertebrates in an Uniab River frshwater spring (Namibia: Damaraland). <i>J. Namibia Scientific Soc.</i> 46:101-106.
180	Bauer, A.M. 1998. Lizards. Pp. 126-173 in Reptiles and Amphibians, 2nd ed., H.G. Cogger and R.G. Zweifel, eds. San Diego: Academic Press. NOT AVAILABLE FOR DISTRIBUTION Available from Bibliomania! http://www.herplit.com/
181	Castanzo, R.A., and Bauer, A.M. 1998. Comparative aspects of the ecology of <i>Mabuya acutilabris</i> (Squamata: Scincidae), a lacertid-like skink from arid south western Africa. <i>J. Afr. Zool.</i> 112:109-122.
182	Das, I., and Bauer, A.M. 1998. Systematics and biogeography of Bornean geckos of the genus <i>Cnemaspis</i> Strauch, 1887 (Sauria: Gekkonidae), with the description of a new species. <i>Raffles Bull. Zool.</i> 46:11-28.
183	Bauer, A.M. 1998. Geckos der Welt: Alle Gattungen [review]. <i>Herpetol. Rev.</i> 29:191-192.
184	Sadlier, R.A., Whitaker, A.H., and Bauer, A.M. 1998. <i>Lioscincus maruia</i> , a New Species of Lizard (Reptilia: Scincidae) from New Caledonia, Southwest Pacific. <i>Pacific Science</i> 52:334-341.
185	Bauer, A.M., Whitaker, A.H., and Sadlier, R.A. 1998. Two New Species of the Genus <i>Bavayia</i> (Reptilia: Squamata: Diplodactylidae) from New Caledonia. <i>Pacific Science</i> 52:342-355.
186	Bauer, A.M. 1998. Genitalstrukturen und Paarungsbioologie bei squamaten Reptilien, speziell den Platynota, mit Bemerkungen zur Systematik [review]. <i>Herpetol. Rev.</i> 29:255-256.
187	Bauer, A.M. 1998. Foreword (1 p.). In I. Das, The Serpent's Tongue: A Contribution to the Ethnoherpetology of India and Adjacent Countries. Edition Chimaira, Frankfurt am Main.
188	Bauer, A.M. 1999. Field Guide to Snakes and Other Reptiles of Southern Africa [review]. <i>Copeia</i> 1999:236-238.
189	Bauer, A.M. 1999. South Asian herpetological specimens of historical note in the Zoological Museum, Berlin. <i>Hamadryad</i> 23[1998]:133-149.
190	Bauer, A.M. 1999. Congratulations to Sauria on its 20th anniversary. <i>Sauria</i> 20(4):3-4.
191	Goldberg, S.R., Bursey, C.R., Bauer, and Cheam, H. 1999. Helminths of the day geckos, <i>Rhoptropus afer</i> and <i>Rhoptropus barnardi</i> (Sauria: Gekkonidae) from Namibia, southwestern Africa. <i>J. Helminthol. Soc. Washington</i> 66:78-80.
192	Bauer, A.M. 1999. Twentieth Century discoveries of amphibians and reptiles. <i>Cryptozoology</i> 13:1-17.
193	Bauer, A.M. 1999. Extraordinary Animals Worldwide By Karl P.N. Shuker [review]. <i>Cryptozoology</i> 13:100-101.
194	Bauer, A.M., and I. Das. 1999. North Carolina reptiles and amphibians of historical note in the collection of the Zoological Survey of India. <i>J. Elisha Mitchell Sci. Soc.</i> 115:1-7.
195	Broadley, D.G., and Bauer, A.M. 1999. A review of the <i>Mabuya quinquetaeniata</i> complex in East Africa (Sauria: Scincidae). <i>Afr. J. Herpetol.</i> 47[1998]:43-58.
196	Bauer, A.M. 1999. Notes on John White's <i>Journal of a Voyage to new South Wales</i> (1790), a Classic of Australian Herpetology. <i>Nwsl. Internatl. Soc. Hist. Bibliogr. Herpetol.</i> 1(1):16-19.
197	Sadlier, R.A., Bauer, A.M., and Colgan, D.J. 1999. The scincid lizard genus <i>Caledoniscincus</i> (Reptilia: Scincidae) from New Caledonia in the southwest Pacific: a review of <i>Caledoniscincus austrocaledonicus</i> (Bavay) and description of six new species from Province Nord. <i>Rec. Aust. Mus.</i> 51:57-82.
198	Sadlier, R.A., and Bauer, A.M. 1999. The scincid lizard genus <i>Sigaloseps</i> (Reptilia: Scincidae) from

	New Caledonia in the southwest Pacific: description of a new species and review of the biology, distribution, and morphology of <i>Sigaloseps deplanchei</i> (Bavay). Rec. Aust. Mus. 51:83-91.
199	Sadlier, R.A., and Bauer, A.M. 1999. The scincid lizard <i>Lioscincus tillieri</i> from New Caledonia in the southwest Pacific: new information on the species biology, distribution, and morphology. Rec. Aust. Mus. 51:93-98.
200	Bauer, A.M. and Das, I. 1999. The status of the endemic South Indian gecko, <i>Hemiphyllodactylus aurantiacus</i> (Reptilia: Gekkonidae). J. S. Asian Nat. Hist. 4:213-218.
201	Bauer, A.M. 1999. The terrestrial reptiles of New Caledonia: the origin and evolution of a highly endemic herpetofauna. pp. 3-25 in H. Ota (ed), Tropical Island Herpetofauna: Origin, Current Diversity, and Conservation. Amsterdam: Elsevier Science B.V.
202	Mittermeier, R.A., Bouchet, P., Bauer, A.M., Werner, T., and Lees, A. 1999. New Caledonia. Pp. 366-377 in Hotspots: Earth's Biologically Richest and Most Endangered Terrestrial Ecoregions, R. A. Mittermeier, N. Myers, and C.G. Mittermeier, eds. Mexico City: CEMEX. NOT AVAILABLE FOR DISTRIBUTION Out of Print. Occasionally available from http://www.amazon.com/
203	Wright, J.L., Bauer, A.M., and Sadlier, R.A. 2000. Two new gecko species allied to <i>Bavayia sauvagii</i> and <i>Bavayia cyclura</i> (Reptilia: Diplodactylidae) from New Caledonia. Pacific Science 54:39-55.
204	Sadlier, R.A., and Bauer, A.M. 2000. The scincid lizard genus <i>Marmorosphax</i> (Reptilia: Scincidae) from New Caledonia in the southwest Pacific: description of a new species restricted to high-altitude forest in the Province Sud. Pacific Science 54:56-62.
205	Bauer, A.M., Jones, J.P.G., and Sadlier, R.A. 2000. A new high-elevation <i>Bavayia</i> (Reptilia: Diplodactylidae) from northeastern New Caledonia. Pacific Science 54:63-69.
206	Hollingsworth, B.D., and Bauer, A.M. 2000. The Klauber herpetological library at the San Diego Natural History Museum. Newslett. Bull. Intnatl. Soc. Hist. Bibliogr. Herpetol. 1(2):27-33, 35.
207	Bauer, A.M. 2000. Evolutionary scenarios in the <i>Pachydactylus</i> -group geckos of southern Africa: new hypotheses. Afr. J. Herpetol. 48[1999]: 53-62.
208	Bauer, A.M. 2000. On the identity of <i>Lacerta Tjitja</i> Ljungh 1804, a gecko from Java. Hamadryad 25:46-49.
209	Bauer, A.M., Lamb, A.C., and Branch, W.R. 2000. Size record: <i>Cordylosaurus subtessellatus</i> . Afr. Herpetol. News 30[1999]:31.
210	Bauer, A.M., Lamb, A.C., and Branch, W.R. 2000. Additional records of uncommon <i>Pachydactylus</i> (Reptilia: Gekkonidae) from northern and central Namibia. Afr. Herpetol. News 30[1999]:2-3.
211	Bauer, A.M., Schneider, V., Lamb, T., Moler, P., and Babb, R. 2000. New data on the limbless skink <i>Typhlosaurus lomii</i> (Squamata: Scincidae). Afr. J. Herpetol. 48[1999]:21-26.
212	Bauer, A.M. 2000. How far north would the gecko move if the gecko could move north? Herpetol. Rev. 31:72-73.
213	Moriarty, J.J., and Bauer, A.M. 2000. State and provincial amphibian and reptiles publications for the United States and Canada. Society for the Study of Amphibians and Reptiles Herpetological Circular 28. 52 pp.
214	Das, I., and Bauer, A.M. 2000. Two new species of <i>Cnemaspis</i> (Sauria: Gekkonidae) from Tamil Nadu, South India. Russian J. Herpetol. 7:17-28.
215	Bauer, A.M. 2000. Comments on the types and type localities of South African reptiles collected by Heinrich Bergius and Ludwig Krebs. Afr. J. Herpetol. 49:53-60.
216	Rittenhouse, D.R., Russell, A.P., and Bauer, A.M. 2000. Laryngotracheal morphology of Afro-Madagascan geckos – a comparative survey. J. Morphol. 245:241-268.
217	Russell, A.P. and Bauer, A.M. 2000. The Amphibians and Reptiles of Alberta: A Field Guide and Primer of Boreal Herpetology, revised second edition. University of Calgary Press, Calgary. 269 pp. NOT AVAILABLE FOR DISTRIBUTION To order from the U.S. contact: msupress@msu.edu
218	Jourdan, H., Sadlier, R., and Bauer, A. 2000. Premières observations sur les conséquences de l'invasion de <i>Wasmannia auropunctata</i> 1863 (Roger) sur les prédateurs supérieurs dans les écosystèmes néo-calédoniens. Actes Coll. Insectes Sociaux 13:121-126.
219	Bauer, A.M. and Wahlgren, R. 2000. On <i>Boa variegata</i> Thunberg 1807, a neglected boid snake name.

	Hamadryad 25:93-97.
220	Bauer, A.M. 2000. The <i>Symbolae Physicae</i> and the herpetology of Hemprich and Ehrenberg's expedition to Egypt and the Middle East. Nwsl. Bull. Internl. Soc. Hist. Bibliogr. Herpetol. 2(1):8-16.
221	Bauer, A.M. and Sadlier, R.A. 2000. The Herpetofauna of New Caledonia. Society for the Study of Amphibians. 310 pp., 24 pls. NOT AVAILABLE FOR DISTRIBUTION Available from Bibliomania! http://www.herplit.com/
222	Lamb, T. and Bauer, A.M. 2000. Relationships of the <i>Pachydactylus rugosus</i> group of geckos (Reptilia: Squamata: Gekkonidae). Afr. Zool. 35:55-67
223	Bauer, A.M. and Das, I. 2001. Review of the gekkonid genus <i>Calodactylodes</i> (Reptilia: Squamata) from India and Sri Lanka. J. S. Asian Nat. Hist. 5[2000]:25-35.
224	Bauer, A.M., and Sadlier, R.A. 2001. New data on the distribution, status, and biology of the giant New Caledonian geckos (Squamata: Diplodactylidae: <i>Rhacodactylus</i> spp.). Amphib. Reptile Conserv. 2(1)[2000]:24-29
225	Köhler, G., and Bauer, A.M. 2001. <i>Dactyloa biporcata</i> Wiegmann, 1834 (currently <i>Anolis biporcatus</i>) and <i>Anolis petersii</i> Bocourt, 1873 (Reptilia, Sauria): proposed conservation of the specific names and designation of a neotype for <i>A. biporcatus</i> . Bull. Zool. Nomencl. 58:122-125.
226	Tyler, M.J., Burton, T., and Bauer, A.M. 2001. Parotid or parotoid: on the nomenclature of an amphibian skin gland. Herpetol. Rev. 32:79-81.
227	Pauwels, O.S.G., and Bauer, A.M. 2001. <i>Hemiphyllodactylus typus</i> , distribution. Herpetol. Rev. 32:119.
228	Bauer, A.M. 2001. Amphibians and Reptiles of Madagascar and the Mascarene, Seychelles, and Comoro Islands [review]. Herpetol. Rev. 32:141-142.
229	Bauer, A.M. 2001. The Lizards of Iran [Review]. Afr. J. Herpetol. 50:43-44.
230	Bauer, A.M. 2001. The evolution of reptile diversity and endemism in New Caledonia [abstract]. Biota 2, suppl.:12.
231	Bauer, A.M., and Watkins-Colwell, G.J. 2001. On the origin of the types of <i>Hypsilurus godeffroyi</i> (Reptilia: Squamata: Agamidae) and early German contributions to the herpetology of Palau. Micronesica 34:73-84.
232	Lamb, T. and Bauer, A.M. 2001. Mitochondrial phylogeny of Namib day geckos (<i>Rhoptropus</i>) based on cytochrome b and 16S rRNA sequences. Copeia 2001:775-780.
233	Jourdan, H., Sadlier, R.A., and Bauer, A.M. 2001. Little fire ant invasion (<i>Wasmannia auropunctata</i>) as a threat to New Caledonian lizards: evidences from the sclerophyll forest (Hymenoptera: Formicidae). Sociobiology 38:283-301.
234	Bauer, A.M. and Russell, A.P. 2001. The first record of reptiles in Alberta: Æmilie Simpson's journal of 1826. Herpetol. Rev. 32:174-176.
235	Bauer, A.M. 2001. Atlas des Amphibiens de Guyane [review]. Herpetol. Rev. 32:204-205.
236	Das, I. And A.M. Bauer. 2001. A guide to the herpetological literature of Sri Lanka. Herpetol. Rev. 32:205-207.
237	Bauer, A.M., Lamb, T., Branch, W.R., and Babb, R.D. 2001. New records of two rare snakes from northern Namibia, with comments on the trans-Kunene distribution of mopaneveld squamates. Herpetozoa 14:75-79.
238	Bauer, A.M. and Adler, K. 2001. The dating and correct citation of A.F.A. Wiegmann's "Amphibien" section of Meyen's <i>Reise um die Erde</i> , with a bibliography of Wiegmann's herpetological publications. Arch. Nat. Hist. 28:313-326.
239	Bauer, A.M. 2001. On the correct date of description of <i>Amphisbaena scutigera</i> Hemprich and <i>A. rufa</i> Hemprich. Nwsl. Bull. Internat. Soc. Hist. Bibliogr. Herpetol. 3:11-13.
240	Bartholomew, B., Wahlgren, R., and Bauer, A.M. 2001. Recent literature on the history and bibliography of herpetology: 1. Nwsl. Bull. Internat. Soc. Hist. Bibliogr. Herpetol. 3:14-23.
241	Bauer, A.M. and T. Lamb. 2001. A reconsideration of the systematic status of <i>Rhoptropus bradfieldi diporus</i> Haacke 1965. Afr. J. Herpetol. 50:71-78.
242	Bauer, A.M. 2001. [130 amphibian and reptiles accounts]. Philip's Nature Encyclopaedia. London, Macmillan.

	NOT AVAILABLE FOR DISTRIBUTION May be ordered from http://www.virginbooks.com/
243	Bauer, A.M., Wallach, V., and Günther, R. 2002. An annotated type catalogue of the scolecophidian, alethinophidian, and macrostomatian snakes in the collection of the Museum für Naturkunde der Humboldt-Universität zu Berlin (ZMB). <i>Mitt. Mus. Naturkunde Berlin</i> 78:157-176.
244	Bauer, A.M., Lamb, T., and Branch, W.R. 2002. A revision of <i>Pachydactylus scutatus</i> (Reptilia: Squamata: Gekkonidae) with the description of a new species from northern Namibia. <i>Proc. California Acad. Sci.</i> 53:23-36.
245	Russell, A.P., and Bauer, A.M. 2002. <i>Thecadactylus, T. rapicauda</i> . <i>Cat. Amer. Amphib. Rept.</i> 733:1-16.
246	Bauer, A.M. 2002. Two new species of <i>Cyrtodactylus</i> (Squamata: Gekkonidae) from Myanmar. <i>Proc. California Acad. Sci.</i> 53:75-88.
247	Lamb, T. and Bauer, A.M. 2002. Phylogenetic relationships of the large-bodied members of the African lizard genus <i>Pachydactylus</i> (Reptilia: Gekkonidae). <i>Copeia</i> 2002:586-596.
248	Bauer, A.M. 2002. Albertus Seba, Cabinet of Natural Curiosities. The Complete Plates in Colour, 1734-1765 [review and historical overview]. <i>Bull. Internat'l. Soc. Hist. Bibliogr. Herpetol.</i> 3(2):8-15.
249	Sadlier, R.A., Bauer, A.M., and Whitaker, A.H. 2002. The scincid lizard genus <i>Nannoscincus</i> Günther from New Caledonia in the southwest Pacific: a review of the morphology and distribution of species in the <i>Nannoscincus mariei</i> species group, including the description of three new species from the Province Nord. <i>Zoologica Neocaledonia</i> 5, Mem. Mus. Natl. Hist. Nat. 187:269-276.
250	Sadlier, R.A., and Bauer, A.M. 2002. The scincid lizard <i>Graciliscincus shonae</i> (Lacertilia: Scincidae) from New Caledonia in the southwest Pacific: a review of the species morphology, distribution, and conservation status. <i>Zoologica Neocaledonica</i> 5, Mem. Mus. Natl. Hist. Nat. 187:233-255
251	Sadlier, R.A., O'Meally, D., and Bauer, A.M. 2002. The scincid lizard genus <i>Caledoniscincus</i> (Reptilia: Scincidae) from New Caledonia in the southwest Pacific: a review of <i>Caledoniscincus orestes</i> Sadlier. <i>Zoologica Neocaledonica</i> 5, Mem. Mus. Natl. Hist. Nat. 187:257-267.
252	Bauer, A.M. and Pauwels, O.S.G. 2002. A new forest-dwelling <i>Hemidactylus</i> (Squamata: Gekkonidae) from Gabon, West Africa. <i>Afr. J. Herpetol.</i> 51:1-8.
253	Branch, W.R., Bauer, A.M., and Lamb, T. 2002. Natural history note. <i>Bitis caudalis</i> (Horned adder). Prey size. <i>Herpetol. Rev.</i> 33:137-138.
254	Bauer, A.M. 2002. Lizards. Pp. 138-175 In Halliday, T. and Adler, K. (eds). <i>Encyclopedia of Amphibians and Reptiles</i> . Andromeda Oxford Ltd., Abingdon, UK.
	NOT AVAILABLE FOR DISTRIBUTION U.S. edition may be ordered from http://www.fireflybooks.com/
255	Bauer, A.M., and Lamb, T. 2002. Phylogenetic relationships among members of the <i>Pachydactylus capensis</i> group of southern African geckos. <i>African Zoology</i> 37:209-220.
256	Bauer, A.M. 2002. Two new species of <i>Cnemaspis</i> (Reptilia: Squamata: Gekkonidae) from Gund, Uttara Kannada, India. <i>Mitt. Hamburg. Zool. Mus. Inst.</i> 99:155-167.
257	Bauer, A.M., Pauwels, O.S.G., and Sumontha, M. 2002. <i>Hemidactylus brookii brookii</i> . distribution. <i>Herpetological Review</i> 33:322.
258	Bauer, A.M. 2002. Sea Snakes of New Caledonia/ Les Serpents Marins de Nouvelle-Calédonie [review]. <i>Herpetological Review</i> 33:330-332.
259	Bauer, A.M., Pauwels, O.S.G., and Chanhome, L. 2002. A New Species of cave-dwelling <i>Cyrtodactylus</i> (Squamata: Gekkonidae) from Thailand. <i>The Natural History Journal of Chulalongkorn University</i> 2(2):19-29.
260	Russell, A.P. and Bauer, A.M. 2002. Underwood's Classification of the Geckos: A 21 st Century Appreciation. <i>Bull. Nat. Hist. Mus. London (Zool.)</i> 68:113-121.
261	Balsamo, R.A., Bauer, A.M., Davis, S.D., and Rice, B.M. 2003. Leaf biomechanics, morphology and anatomy of the deciduous mesophyte <i>Prunus serrulata</i> and the evergreen sclerophyllous shrub <i>Heteromeles arbutifolia</i> (Rosaceae). <i>Amer. J. Botany</i> . 90:72-77.
262	Lamb, T., Meeker, A.M., Bauer, A.M., and Branch, W.R. 2003. On the systematic status of the desert plated lizard (<i>Angolosaurus skoogi</i>): phylogenetic inference from DNA sequence analysis of the African Gerrhosauridae. <i>Biol. J. Linn. Soc.</i> 78:253-261.

263	Daszkiewicz, P. and A.M. Bauer. 2003. The confiscation and replacement of herpetological collections by France under the First Republic and Empire, with notes on an historically important collection sent to Vienna in 1815. <i>Newsl. Bull. Internat. Soc. Hist. Bibliogr. Herpetol.</i> 4(1):15-27.
264	Bauer, A.M., and Branch, W.R. 2003. The herpetofauna of the Richtersveld National Park, Northern Cape Province, Republic of South Africa. <i>Herpetol. Nat. Hist.</i> 8:111-160.
265	Böhme, W. and A.M. Bauer. 2003. Was hat das Museum Koenig in Bonn mit der Independence Hall in Philadelphia gemeinsam? <i>Tier und Museum</i> 8:10-21.
266	Bauer, A.M. 2003. On the identity of <i>Lacerta punctata</i> Linnaeus, 1758, the type species of the genus <i>Euprepis</i> Wagler, 1830, and the generic assignment of Afro-Malagasy skinks. <i>Afr. J. Herpetol.</i> 52:1-7.
267	Bauer, A.M., Shea, G.M., and Günther, R. 2003. An annotated catalogue of the types of scincid lizards (Reptilia: Squamata: Scincidae) in the collection of the Museum für Naturkunde der Humboldt-Universität zu Berlin (ZMB). <i>Zoologische Reihe. Mitteilungen aus dem Museum für Naturkunde in Berlin</i> 79:253-321.
268	Bauer, A.M., Whiting, A.S., and Sadlier, R.A. 2003. A new species of <i>Scelotes</i> , from near Cape Town, Western Cape Province, South Africa. <i>Proc. Calif. Acad. Sci.</i> 54:231-237.
269	Bauer, A.M. 2003. On the status of the name <i>Oligodon taeniolatus</i> (Jerdon, 1853) and its long-ignored senior synonym and secondary homonym, <i>Oligodon taeniolatus</i> (Daudin, 1803). <i>Hamadryad</i> 27:205-213.
270	Giri, V., Bauer, A.M., and Chaturvedi, N. 2003. Notes on the distribution, natural history, and variation of <i>Hemidactylus giganteus</i> Stoliczka. <i>Hamadryad</i> 27:217-221.
271	Bauer, A.M., and Russell, A.P. <i>Phyllodactylus wirshingi</i> . <i>Cat. Amer. Amphib. Reptil.</i> 770.1-770.4.
272	Bauer, A.M. 2003. Geckos and pygopods (Gekkonidae). Pp. 259-270 In Hutchins, M., Murphy, J.B., and Schlager, N. (eds), Grzimek's Animal Life Encyclopedia, 2 nd ed. Vol. 7, Reptiles. Gale Group, Farmington Hills, MI.
NOT AVAILABLE FOR DISTRIBUTION May be ordered from: http://www.galegroup.com/	
273	Bauer, A.M. 2003. The Reptiles and Amphibians of Anguilla, British West Indies [Review]. <i>Caribbean J. Sci.</i> 39:254-255.
274	Bauer, A.M. and K. Adler. 2003. On the dates of publication and correct citation of Olivier's Voyage dans l'Empire Othoman and its herpetological content. <i>Newsl. Bull. Internat. Soc. Hist. Bibliogr. Herpetol.</i> 4(2):5-16.
275	Lamb, T., and A.M. Bauer. 2003. <i>Meroles</i> revisited: complementary systematic inference from additional mitochondrial genes and complete taxon sampling of southern Africa's desert lizards. <i>Mol. Phylogen. Evol.</i> 29:360-364.
276	Bauer, A.M. 2003. Descriptions of seven new species of <i>Cyrtodactylus</i> (Squamata: Gekkonidae) with a key to the species of Myanmar (Burma). <i>Proc. Calif. Acad. Sci.</i> 54:463-498.
277	Bauer, A.M. 2003. Histoire Naturelle des Amphibiens et Reptiles Terrestres de l'Archipel Guadeloupéen. Guadeloupe, Saint-Martin, Saint-Barthélemy [Review]. <i>Herpetol. Rev.</i> 34:399-400.
278	Whiting, A.S., A.M. Bauer, and J.W. Sites, Jr. 2003. Phylogenetic relationships and limb loss in sub-Saharan African scincine lizards (Squamata: Scincidae). <i>Molecular Phylogenetics and Evolution</i> 29:582-598.
279	Bauer, A.M., Sumontha, M., and Pauwels, O.S.G. 2003. Two new species of <i>Cyrtodactylus</i> (Reptilia: Squamata: Gekkonidae) from Thailand. <i>Zootaxa</i> 376:1-18.
280	Bauer, A.M. and Lamb, T. Geographic distribution: <i>Pachydactylus fasciatus</i> Boulenger, 1888. <i>African Herp. News</i> 36:20-21.

281	Bauer, A. M. (2003): Die "Symbolae Physicae" und die Herpetologie der Expedition von Hemprich und Ehrenberg nach Ägypten und dem Nähen Osten. <i>Sekretär</i> 3(2):4-17.
282	Bauer, A.M. and Lamb, T. 2003. A new species of the <i>Pachydactylus weberi</i> group (Reptilia: Squamata: Gekkonidae) from the Waterberg Plateau, Namibia. <i>Cimbebasia</i> 19:1-12.
283	Bauer, A.M. 2003. Gekkonidae, geckos. Pp. 973-977 in <i>The Natural History of Madagascar</i> , S. Goodman and J. P. Benstead, eds. University of Chicago Press, Chicago. NOT AVAILABLE FOR DISTRIBUTION Available from www.press.uchicago.edu
284	Grant-Mackie, J., Bauer, A.M., and Tyler, M.J. 2003. Stratigraphy and herpetofauna of Mé Auré Cave (Site WMD007), Moindou, New Caledonia. <i>Les Cahiers de l'Archeologie en Nouvelle-Calédonie</i> 15: 295-306.
285	Decker, H., Powell, R., and Bauer, A.M. 2003. Gecko populations on Coconut Island, Hawai'i. <i>Gekkota</i> 4:25-33.
286	Sadlier, R.A., Bauer, A.M., Whitaker, A.H., and Smith, S.A. 2004. Two new scincid lizards (Squamata: Scincidae) from the Massif de Kopéto, northwestern New Caledonia. <i>Proc. Calif. Acad. Sci.</i> 55:208-221.
287	Bauer, A.M. and Giri, V. 2004. On the systematic status of <i>Geckoella deccanensis</i> (Günther, 1864) and <i>G. albofasciata</i> (Boulenger, 1885) (Squamata: Gekkonidae). <i>Hamadryad</i> 28:51-58.
288	Bauer, A.M., Jackman, T.R., and Kiebish, M. 2004. [Abstract] Molecular systematics of the New Caledonian geckos <i>Rhacodactylus</i> and <i>Eurydactylodes</i> (Squamata: Diplodactylidae). <i>New Zealand J. Zool.</i> 31:100.
289	Jackman, T.R., Bauer, A.M., and Kiebish, M. 2004. [Abstract] Molecular systematics of the New Caledonian forest geckos (Diplodactylidae: <i>Bavayia</i>). <i>New Zealand J. Zool.</i> 31:105.
290	Smith, S.A., Sadlier, R.A., and Bauer, A.M. 2004. [Abstract] Molecular systematics of New Caledonia's endemic skinks. <i>New Zealand J. Zool.</i> 31:109-110.
291	Captain, A., Gower, D.J., David, P., and Bauer, A.M. 2004. The taxonomic status of the colubrid snake <i>Sibynophis subpunctatus</i> . <i>Hamadryad</i> 28:90-94.
292	Bauer, A.M. and Branch, W.R. 2004. An accidental importation of <i>Gekko monarchus</i> into Africa. <i>Hamadryad</i> 28:125-126.
293	Bauer, A.M. and Petit, R.E. 2004. On the herpetology of Perry's <i>Arcana</i> and two forgotten reptile names. <i>Newslett. Bull. Internat'l. Soc. Hist. Bibliogr. Herpetol.</i> 5:9-17.

294	Bauer, A.M. 2004. The status of herpetological research in Sri Lanka. <i>Lyriocephalus</i> 5:8-9.
295	De Silva, A., Bauer, A.M., Austin, C.C., Goonawardene, S., Hawke, Z., Vanneck, V., Drion, A., Perera, B.J.K., Jayaratne, R.L., and Goonasekera, M.M. 2004. The diversity of Nilgala forest, Sri Lanka, with special reference to its herpetofauna. <i>Lyriocephalus</i> 5:164-182, pls. 4-5.
296	De Silva, A., Bauer, A.M., Austin, C.C., Perera, B.J.K., Jayaratne, R.L., Goonasekera, M.M., Goonawardene, S., Hawke, Z., Vanneck, V., and Drion, A. 2004. Some cultural traits of the inhabitants of the Nilgala fire savannah, Sri Lanka, towards animals: with special reference to the herpetofauna. 5:183-191.
297	De Silva, A., Bauer, A.M., Austin, C.C., Goonawardene, S., Hawke, Z., Vanneck, V., Drion, A., de Silva, P., Perera, B.J.K., Jayaratne, R.L., and Goonasekera, M.M., 2004. Distribution and natural history of <i>Calodactylodes illingworthorum</i> (Reptilia: Gekkonidae) in Sri Lanka: preliminary findings. <i>Lyriocephalus</i> 5:192-198, pl. 5.
298	De Silva, A., Rajapakse, R.P.V.J., Bauer, A.M., de Silva, W.M.J., Austin, C.C., Goonawardene, S., and Goonasekera, M.M. 2004. First report of parasites of <i>Hemidactylus mauculatus hunae</i> and <i>Calodactylodes illingworthorum</i> (Reptilia: Gekkonidae) inhabiting the Nilgala fire savannah, Sri Lanka. <i>Lyriocephalus</i> 5:199-205, pl. 6.
299	De Silva, A., Austin, C.C., Bauer, A.M., Goonawardene, S., Hawke, Z., Vanneck, V., Drion, A., and Goonasekera, M.M. 2004. Some behavioural aspects of <i>Ophisops leschennaultii lankae</i> (Reptilia: Lacertidae) at Nilgala fire-savannah, Sri Lanka. <i>Lyriocephalus</i> 5:206-212, pl. 7.
300	De Silva, A., Das, I., Bauer, A.M., and Goonawardene, S. 2004. Vedda rock art in Sri Lanka depicting reptiles, with special reference to golden gecko <i>Calodactylodes illingworthorum</i> (Reptilia: Gekkonidae). <i>Lyriocephalus</i> 5:213-219, pl. 8.
301	Bauer, A.M., de Silva, A., and Austin, C.C. 2004. The use of abandoned wasp nests by <i>Hemidactylus depressus</i> in Sri Lanka. <i>Lyriocephalus</i> 5:221-222, pl. 9.
302	Bauer, A.M., Sumontha, M., Grossmann, W., Pauwels, O.S.G., and Vogel, G. 2004. A new species of <i>Dixonius</i> (Squamata: Gekkonidae) from Kanchanaburi Province, western Thailand. <i>Current Herpetol.</i> 23:17-26.
303	De Silva, A., Bauer, A.M., Drion, A., Fabry, A., Goonawardena, S., Hawke, Z., and Vanneck, V. 2004. <i>Otocryptis wiegmanni</i> (Reptilia: Agamidae): a gecko predator at Nilgala fire-savannah, Sri Lanka. <i>Gekko</i> 4(1):15-17.
304	Michels, J.P. and A.M. Bauer. 2004. Some corrections to the scientific names of amphibians and reptiles. <i>Bonner Zoologische Beiträge</i> 52:83-94.
305	Sadlier, R.A, Smith, S.A., Bauer, A.M., and Whitaker, A.H. 2004. A new genus and species of live-bearing scincid lizard (Reptilia: Scincidae) from New Caledonia. <i>J. Herpetol.</i> 38:117-127.
306	Balsamo, R.A., Hofmeyr, M.D., Henen, B.T., and Bauer, A.M. 2004. Leaf biomechanics as a potential tool to predict feeding preferences of the geometric tortoise <i>Psammobates geometricus</i> . <i>Afr. Zool.</i> 39:175-181.

307	Bauer, A.M., Jackman, T., Smith, S.A., Sadlier, R.A., and C.C. Austin. 2004. Natural history note. <i>Nannoscincus gracilis</i> . Vocalization. Herpetol. Rev. 35:268-269.
308	Watkins-Colwell, G. J., and Bauer, A.M. 2004. Natural history note. <i>Gekko subpalmatus</i> . Regional Integumentary Loss. Herpetol. Rev. 35:267.
309	Han, D., Zhou, K., and Bauer, A.M. 2004. Phylogenetic relationships among the higher taxonomic categories of gekkotan lizards inferred from C-mos nuclear DNA sequences. Biol. J. Linn. Soc. 83:353-368.
310	Balsamo, R.A., Hofmeyr, M.D., Henen, B.T., and Bauer, A.M. 2004. Leaf Biomechanics as a potential tool to predict feeding preferences of <i>Psammobates geometricus</i> (geometric tortoise). African Zoology 39:175-181.
311	Bauer, A.M., Ananjeva, N.B., and Orlov, N. 2004. Guide to the Reptiles of the Eastern Palearctic [Review]. Herpetological Review 35:426-428.
312	Whiting, A.S., Sites, J.W., Jr., and Bauer, A.M. 2004. Molecular phylogenetics of Malagasy skinks (Squamata: Scincidae). African Journal of Herpetology 53:135-146.
313	Bauer, A.M. 2004. Book Review: A Complete Guide to the Snakes of Southern Africa, Second Edition [review]. Afr. J. Herpetol. 53:201-202.
314	Pauwels, O.S.G., Bauer, A.M., Sumontha, M., and Chanhome, L. 2004. <i>Cyrtodactylus thirakhupti</i> (Squamata: Gekkonidae), a new cave-dwelling gecko from southern Thailand. Zootaxa 772:1-11.
315	Bauer, A.M. 2004. Early German herpetological observations and explorations in southern Africa, with special reference to the Zoological Museum, Berlin. Bonn. Zool. Beiträge 52:193-214.
316	Whitaker, A.H., Sadlier, R.A., Bauer, A.M. and Whitaker, V.A. 2004. Biodiversity and Conservation Status of Lizards in Threatened and Restricted Habitats of North-Western New Caledonia. Report by Whitaker Consultants Limited to Direction du Développement Économique et de l'Envirinnement, Province Nord, Koné. vi + 106 pp. [also available in French]
317	Bauer, A.M. 2004. William Roy Branch, 2004 Recipient of the Exceptional Contribution to African Herpetology Award. Afr. Herp. News 37:2-4.
318	Branch, W.R. and Bauer, A.M. 2004. Additional herpetological records for the Richtersveld region. Afr. Herp. News 37:13-15.
319	Bauer, A.M. and Günther, R. 2004. On a newly identified specimen of the extinct bolyeriid snake <i>Bolyeria multocarinata</i> (BOIE, 1827). Herpetozoa 17:179-181.

320	Lowry, P.P. II, Munzinger, J., Bouchet, P., Géraux, H., Bauer, A.M., Langrand, O., and Mittermeier, R.A. 2004. New Caledonia. Pp. 192-197 in Hotspots Revisited, R. A. Mittermeier, Gil, P.R., Hoffmann, M., Pilgrim, J., Brooks, T., Mittermeier, C.G., Lamoreux, J., Da Fonseca, G.A.B., eds. Mexico City: CEMEX.
	NOT AVAILABLE FOR DISTRIBUTION May ordered from: http://www.biodiversityhotspots.org
321	Balsamo, R.A., Hofmeyr, M.D., Henen, B.T., and Bauer, A.M. 2005. Natural history note. <i>Psammobates geometricus</i> . Diet. Herpetological Review 36:60-61.
322	Bauer, A.M. 2005. A Field Guide to the Herpetofauna of Fiji [Review]. Herpetological Review 36:91-92.
323	Bauer, A.M. 2005. Chameleons, Nature's Hidden Jewels, 2 nd edition [Review]. Herpetological Review 36:92-93.
324	Bauer, A.M., Böhme, W., and Weitschat, W. 2005. An Early Eocene gecko from Baltic amber and its implications for the evolution of gecko adhesion. J. Zool., London 265:327-332.
325	Daszkiewicz, P. and A.M. Bauer. 2005. La place de l'herpétologie lors du Premier Congrès pour la Protection de la Nature (Paris, 1923). Quelques remarques quatre-vingts ans plus tard. Bulletin de la Société Herpétologique de France 110[2004]:35-46.
326	Branch, W.R. and Bauer, A.M. 2005. The life and herpetological contributions of Andrew Smith. pp. 1-19 in Smith, A. The Herpetological Contributions of Sir Andrew Smith. Society for the Study of Amphibians and Reptiles, Villanova, PA. iv + 84 pp. NOT AVAILABLE FOR DISTRIBUTION May ordered from: http://www.herplit.com/SSAR/
327	Rivas Fuenmayor, G., Barros, T., Ugueto, G.N., and Bauer, A.M. 2005. Expansion and Natural Habits of a Successful Colonizing Gecko in Venezuela (Reptilia: Gekkonidae: <i>Hemidactylus mabouia</i>) and the Discovery of <i>H. frenatus</i> in Venezuela. Herpetol. Rev. 36:121-125.
328	Whitaker, A.H., Sadlier, R.A., Bauer, A.M. and Whitaker, V.A. 2005. Biodiversity and Conservation Status of Lizards in Dry Forest Remnants in Province Sud, New Caledonia. Report by Whitaker Consultants Limited to Direction des Resources Naturelles, Province Sud, Nouméa. iv + 59 pp.
329	Russell, A.P. and A.M. Bauer. 2005. Variation in structure and its relationship to function: correlation, explanation and extrapolation. Pp. 399-434 In: Variation, A Central Concept in Biology, B. Hallgrímsson and B. Hall (Eds), Elsevier Academic Press, New York.
330	Russell, A.P., Bauer, A.M., and Johnson, M.K. 2005. Migrations of amphibians and reptiles: an overview of patterns and orientation mechanisms in relation to life history strategies. Pp. 151-203 In: Climatology, Geography, Ecology: Causes of Migration in Organisms, A. M. Elewa (Ed.), Springer-Verlag Publishers, Heidelberg, Germany.
331	Günther, R., Whiting, A., and Bauer, A.M. 2005. Description of a new species of African skink of the genus <i>Trachylepis</i> (Reptilia: Squamata: Scincidae). Herpetozoa 18:11-24.

332	Bauer, A.M., Giri, V., Kehimkar, S., and Agarwal, I. 2005. Notes on <i>Hemidactylus gracilis</i> Blanford 1870, a poorly known Indian gecko. <i>Gekko</i> 4(2):2-7.
333	De Silva, A., Bauer, A.M., Perera, B.J.K., Jayaratne, R.L., Goonasekera, M., Goonawardena, S., Hawke, Z., Vanneck, V., and Drion, A. 2005. Some aspects of the knowledge and attitude towards geckos by the students living in and around the Nilgala forest, Sri Lanka. <i>Gekko</i> 4(2):32-36.
334	Bauer, A.M. and Lamb, T. 2005. Phylogenetic relationships of southern African geckos in the <i>Pachydactylus</i> Group (Squamata: Gekkonidae). <i>African Journal of Herpetology</i> 54:105-129.
335	Bauer, A.M. and W.R. Branch. 2005. <i>Tremeropugus typicus</i> A. Smith, 1831: Overlooked synonyms of <i>Xenopus</i> Wagler, 1827 and <i>Xenopus laevis</i> (Daudin, 1802) (Amphibia: Pipidae). <i>African Journal of Herpetology</i> 54:181-184.
336	Bauer, A.M. 2005. Verzeichniss der Reptilien, welche auf einer Reise im nördlichen America beobachtet wurden [Review]. <i>Salamandra</i> 41:224.
337	Bauer, A.M., Jackman, T., Sadlier, R.A., and Whitaker, A.H. 2006. A new genus and species of diplodactylid gecko (Reptilia: Squamata: Diplodactylidae) from northwestern New Caledonia. <i>Pacific Science</i> 60:125-135, 1 pl.
338	Bauer, A.M. and Günther, R. 2006. A syntype of <i>Lacerta serpens</i> Bloch, 1776 (Reptilia: Squamata: Scincidae): The Oldest Type Specimen in the Founding collection of the Zoological Museum of Berlin. <i>Bibliotheca Herpetologica</i> 6:17-25.
339	Johnson, M.K., Russell, A.P., and Bauer, A.M. 2006 [2005]. Locomotor morphometry of the <i>Pachydactylus</i> radiation of lizards (Gekkota: Gekkonidae): a phylogenetically and ecologically informed analysis. <i>Canadian Journal of Zoology</i> 83:1511-1524.
340	Lamb, T. and Bauer, A.M. 2006. Footprints in the sand: independent reduction of subdigital lamellae in the Namib-kalahari burrowing geckos. <i>Proceedings of the Royal Society B</i> 273:855-864.
341	De Silva, A., Bauer, A.M., Austin, C., Goonewardene, S., Drake, J., de Silva, P., Aberathna, M.G.T.H., Dassanayaka, T., Samarawickrama, G.S., Dasanayaka, R.D.C.S.K., Amarakoon, A.M.R.K. and Goonasekera, M.M. 2005 [2006]. The diversity of the Knuckles ecosystem, with special reference to its herpetofauna. <i>Lyriocephalus</i> 6:13-33, pl. 1.
342	De Silva, A., Bauer, A.M., Goonewardene, S., Drake, J., Nathanael, S., Chandraratne, W.P.R. and Somathilaka, S.A.U.S. 2005 [2006]. Status of the agamids in the Knuckles Massif with special reference to <i>Calotes liocephalus</i> Günther, 1872 and <i>Cophotis ceylanica</i> Peters, 1861. <i>Lyriocephalus</i> 6:43-52, pl. 2.
343	De Silva, A., Bauer, A.M., Goonewardene, S. and Drake, J. 2005 [2006]. <i>Ceratophora tennentii</i> Günther & Gray, in Tennent, 1861 (Reptilia: Agamidae), some notes on its ecology. <i>Lyriocephalus</i> 6:55-62, pl. 3.
344	De Silva, A., Meek, R., Bauer, A.M., Goonewardene, S., Drake, J., Dasanayaka, R.D.C.S.K., Amarakoon, A.M.R.K. and Goonasekera, M.M. 2005 [2006]. First studies on the thermal ecology of <i>Ceratophora tennentii</i> : (Sauria: Agamidae) inhabiting the cloud forests of the Knuckles Massif, Sri Lanka. <i>Lyriocephalus</i> 6:65-71.

345	De Silva, A., Rajapaksa, R.P.V.J., Wijesundera, R.R.M.K.K., Bauer, A.M., Goonewardene, S., Drake, J., de Silva, M. and Perera, N.A.N.D. 2005 [2006]. Preliminary investigations on the parasites of agamids inhabiting the Knuckles mountain range, with special reference to <i>Ceratophora tennentii</i> (Reptilia: Agamidae). <i>Lyriocephalus</i> 6:73-76, pl. 4.
346	De Silva, A., Austin, C.C., Bauer, A.M., Goonewardene, S., Drake, J., de Silva, P., Shripathy, T., Ramesh, S., Suthagar, K. and Kajatheepan, A. 2005 [2006]. Observations on the skinks inhabiting the Knuckles Massif: with special reference to the genus <i>Lankascincus</i> . <i>Lyriocephalus</i> 6:95-100, pl. 6.
347	De Silva, A., Bauer, A.M., Austin, C.C., Goonewardene, S., Drake, J. and de Silva, P. 2005 [2006]. <i>Chalcidoseps thwaitesii</i> (Günther, 1872) (Reptilia: Scincidae) four-toed skink: preliminary observation. <i>Lyriocephalus</i> 6:103-111, pl. 7 (part).
348	De Silva, A., Bauer, A.M., Austin, C.C., Goonewardene, S., Drake, J., Balasubramaniam, A., Rajendran, C., Pathmadevan, V., Fernando, M. and Sureskumar, K. 2005 [2006]. Notes on <i>Nessia</i> species inhabiting the Knuckles Massif with special reference to <i>Nessia bipes</i> Smith, 1935 (Reptilia: Scincidae): the dominant snake skink. <i>Lyriocephalus</i> 6:115-123, pl. 7 (part).
349	De Silva, A., Bauer, A.M., Goonewardene, S., Drake, J., Nathaniel, S., and de Silva, P. 2005 [2006]. Some observations on the geckos inhabiting the Knuckles Massif. <i>Lyriocephalus</i> 6:125-133, pl. 8.
350	De Silva, A., Bauer, A., Goonewardene, S., Drake, J. and de Silva, P. 2005 [2006]. The Dumbara bent toed gecko (<i>Cyrtodactylus soba</i>): the dominant gekkonid lizard inhabiting the Knuckles Massif. <i>Lyriocephalus</i> 6:137-144, pl. 9.
351	De Silva, A., Goonewardene, S., Drake, J. and Bauer, A.M. 2005 [2006]. Observations of gecko cannibalism. <i>Lyriocephalus</i> 6:147, pl. 5 (part).
352	De Silva, A., Goonewardene, S., Bauer, A.M., Austin, C.C., Drake, J. and de Silva, P. 2005 [2006]. Notes on the snakes inhabiting the Knuckles Massif with special reference to <i>Uropeltis melanogaster</i> (Gray, 1858) and <i>Uropeltis phillipsi</i> (Nichols, 1929). <i>Lyriocephalus</i> 6:149-159, pl. 10.
353	De Silva, A., Rajapaksa, R.P.V.J., Wijesundera, R.R.M.K.K., de Silva, M., Bauer, A.M., Goonewardene, S., Drake, J., Austin, C.C., Perera, N.A.N.D., de Silva, D., Hemachandra, U., Nelawatura, C. and Sathrasinghe, D.A. 2005 [2006]. Preliminary observations on some parasites of geckos, skinks and snakes inhabiting the Knuckles Massif. <i>Lyriocephalus</i> 6:173-177.
354	De Silva, A., Bauer, A.M., Goonewardene, S., Drake, J., Samarawickrama, G.S., Dasanayaka, R.D.C.S.K., and Goonasekera, M.M. 2005 [2006]. Some cultural traits and attitudes of the inhabitants of Mimure (in the Knuckles Massif) towards local animals, with special reference to the herpetofauna. <i>Lyriocephalus</i> 6:201-206, pl. 5 (part).
355	Vyas, R., Giri, V., and Bauer, A.M. 2005. Persian gecko in India! <i>Hornbill</i> , October-December 2005:36.
356	Sadlier, R.A., Smith, S.A., and Bauer, A.M. 2006. A new genus for the New Caledonian scincid lizard <i>Lygosoma euryotis</i> Werner, 1909, and the description of a new species. <i>Records of the Australian Museum</i> 58:19-28.

357	Sadlier, R.A., Bauer, A.M., and Smith, S.A. 2006. A new species of <i>Nannoscincus</i> Günther (Squamata: Scincidae) from high elevation forest in southern New Caledonia. Records of the Australian Museum 58:29-36.
358	Balsamo, R.A. Vander Willigen, C., Bauer, A.M., and Farrant, J. 2006. Drought tolerance of selected <i>Eragrostis</i> species, correlates with tensile leaf properties. Annals of Botany 97(6) [2005]:985-991.
359	Giri, V., and Bauer, A.M. 2006. Notes on the distribution, natural history and variation of <i>Hemidactylus prashadi</i> Smith, 1935. Hamadryad 30:55-60.
360	Vyas, R., Giri, V. and Bauer, A.M. 2006. First record of <i>Hemidactylus persicus</i> Anderson 1872 (Squamata: Gekkonidae) from the Republic of India, with notes on its distribution. Hamadryad 30:209-211.
361	Bauer, A.M., Tchibozo, S., Pauwels, O.S.G. and Lenglet, G. 2006. A review of the gekkotan lizards of Bénin, with the description of a new species of <i>Hemidactylus</i> (Squamata: Gekkonidae). Zootaxa 1242:1-20.
362	Bauer, A.M. and Menegon, M. 2006. A new species of prehensile-tailed gecko, <i>Urocotyledon</i> (Squamata: Gekkonidae), from the Udzungwa Mountains, Tanzania. African Journal of Herpetology 55:13-22.
363	Bauer, A.M. and Schaffer, C. 2006. The first published illustration of a pleurodiran turtle? Bibliotheca Herpetologica 6(2):4-10.
364	Daszkiewicz, P. and Bauer, A.M. 2006. Specimens from the Second Collection of Albertus Seba in Poland: the Natural History Cabinet of Anna Jabłonowska (1728-1800). Bibliotheca Herpetologica 6(2):16-20.
365	Böhme, W. and Bauer, A.M. 2006. Notizen zum Geburtsort und familiären Umfeld von Wilhelm Karl Hartwig Peters (1815-1883). Sekretär 6:33-39.
366	Cunkelman, A. and Bauer, A. 2006. <i>Laticauda saintgironsi</i> (New Caledonian yellow-lipped sea krait). Predation. Herpetological Review 37:232.
367	Bauer, A.M. and Malonza, P.K. 2006. <i>Lygosoma tanae</i> (Geographic Distribution). Herpetological Review 37:241.
368	Bauer, A.M. and Babb, R.D. 2006. <i>Pachydactylus scutatus</i> Hewitt, 1927. Maximum size. Afr. Herp News 40:17.
369	Bauer, A.M. and Shea, G. 2006. <i>Pedioplanis inornata</i> (Roux, 1907). Maximum size. Afr. Herp News 40:19.

370	Zhou, K., Li, H., Han, D., and Bauer, A.M. 2006. The complete mitochondrial genome of <i>Gekko gecko</i> (Reptilia: Gekkonidae) and support for the monophyly of Sauria including Amphisbaenia. Molecular Phylogenetics and Evolution 40:887-892.
371	Bauer, A.M., Jackman, T., Sadlier, R.A., and Whitaker, A.H. 2006. A Revision of the <i>Bavayia validiclavis</i> group (Squamata: Gekkota: Diplodactylidae), a Clade of New Caledonian Geckos Exhibiting Microendemism. Proceedings of the California Academy of Sciences 57:503-547.
372	Bauer, A.M., Lamb, T., and Branch, W.R. 2006. A Revision of the <i>Pachydactylus serval</i> and <i>P. weberi</i> Groups (Reptilia: Squamata: Gekkonidae) of Southern Africa, with the Description of Eight New Species. Proceedings of the California Academy of Sciences 57:595-709.
373	Bauer, A.M. and Günther, R. 2006. An annotated catalogue of the types of crocodilians (Reptilia: Crocodylia) in the collection of the Museum für Naturkunde der Humboldt-Universität zu Berlin (ZMB). Mitteilungen aus dem Museum für Naturkunde in Berlin. Zoologische Reihe 82:243-247.
374	Bauer, A.M., Böhme, W. and Günther, R. 2006. An annotated catalogue of the types of chameleons (Reptilia: Squamata: Chamaeleonidae) in the collection of the Museum für Naturkunde der Humboldt-Universität zu Berlin (ZMB). Mitteilungen aus dem Museum für Naturkunde in Berlin. Zoologische Reihe 82:268-281.
375	Bauer, A.M., Barts, M., and Hulbert, F. 2006. A new species of the <i>Pachydactylus weberi</i> group (Reptila: Squamata: Gekkonidae) from the Orange River, with comments on its natural history. Salamandra 42:83-92.
376	Bauer, A.M., and Jackman, T. 2006. Phylogeny and microendemism of the New Caledonian lizard fauna. Pp. 9-14 in Vences, M., Köhler, J., Ziegler, T. and Böhme, W. (eds.), Herpetologica Bonnensis II, Proceedings of the 13 th Ordinary General Meeting of the Societas Europeae Herpetologica. Bonn, Zoologisches Forschungsmuseum Alexander Koenig.
377	Bauer, A.M. 2006. Taxonomic units relevant to conservation planning. Pp. 28-31 in Branch, W.R., Tolley, K.A., Cunningham, M., Bauer, A.M., Alexander, G., Harrison, J.a., turner, A.A. and Bates, M.F. (eds.), A Plan for Phylogenetic Studies of southern African Reptiles. SANBI Biodiversity Series 5:[4], I, 1-48.
378	Bauer, A.M., Chirio, L., Ineich, I. and LeBreton, M. 2006. A New Species of <i>Cnemaspis</i> (Squamata: Gekkonidae) from Northern Cameroon, a Neglected Biodiversity Hotspot. Journal of Herpetology 40:510-519.
379	Malonza, P.K., Wasonga, D. V., Muchai, V., Rotich, D., Bwong, B.A. and Bauer, A. M. 2007 [2006]. Diversity and biogeography of herpetofauna of the Tana River Primate National Reserve, Kenya. Journal of East African Natural History 95(2):95–109.
380	Bauer, A.M., Jackman, T., Greenbaum, E. and Papenfuss, T.J. 2007. First record of <i>Lepidodactylus lugubris</i> in Suriname. Applied Herpetology 4:84–85.
381	Bauer, A.M., LeBreton, M., Chirio, L., Ineich, I., and Talla Kouete, M. 2007 [2006]. New species of <i>Hemidactylus</i> (Squamata: Gekkonidae) from Cameroon. African Journal of Herpetology 55:83-93.
382	Broadley, D.G., Whiting, A.S. and Bauer, A.M. 2007 [2006]. A revision of the East African species of <i>Melanoseps</i> Boulenger (Sauria: Scincidae: Feyliniinae). African Journal of Herpetology 55:95-112.

383	Bauer, A.M., Jackman, T., Greenbaum, E. and Papenfuss, T.J. 2007 [2006]. Confirmation of the occurrence of <i>Hemidactylus robustus</i> Heyden, 1827 (Reptilia: Gekkonidae) in Iran and Pakistan. <i>Zoology in the Middle East</i> 39:59-62.
384	Bauer, A.M., de Silva, A., Greenbaum, E. and Jackman, T. 2007. A new species of day gecko from high elevation in Sri Lanka, with a preliminary phylogeny of Sri Lankan <i>Cnemaspis</i> (Reptilia, Squamata, Gekkonidae). <i>Mitteilungen aus dem Museum für Naturkunde in Berlin. Zoologische Reihe</i> 83 (Supplement):22–32.
385	Bauer, A.M. 2007. Reptiles and Amphibians of East Africa [Review]. <i>Quarterly Review of Biology</i> 82:160–161.
386	Smith, S.A., Sadlier, R.A., Bauer, A.M. and Jackman, T. 2007. Molecular phylogeny of the scincid lizards of New Caledonia and adjacent areas: evidence for a single origin of the endemic skinks of Tasmantis. <i>Molecular Phylogenetics and Evolution</i> 43:1151–1166.
387	Greenbaum, E., Bauer, A.M., Jackman, T.R., Vences, M., and Glaw, F. 2007. A phylogeny of the enigmatic Madagascan geckos of the genus <i>Uroplatus</i> (Squamata: Gekkonidae). <i>Zootaxa</i> 1493:41–51.
388	Bauer, A.M., Jackman, T., Branch, W.R. and Marais, J. 2007. Geographic distribution. <i>Pachydactylus waterbergensis</i> . <i>African Herp News</i> 42:24.
389	Bauer, A.M., Jackman, T., Branch, W.R. and Marais, J. 2007. Geographic distribution. <i>Hemirhagerrhis viperina</i> . <i>African Herp News</i> 42:26.
390	Bauer, A.M. 2007. The foraging biology of the Gekkota: life in the middle. Pp. 371–404 In: S. .M. Reilly, L. B. McBrayer, and D. B. Miles, eds. <i>Lizard Ecology: The Evolutionary Consequences of Foraging Mode in Lizards</i> . Cambridge University Press, New York.
391	Feng, J., Han, D. Bauer, A.M. and Zhou, K. 2007. Interrelationships among gekkonid geckos inferred from mitochondrial and nuclear gene sequences. <i>Zoological Science</i> 24:656-665.
392	Makokha, J.S., Bauer, A.M., Mayer, W. and Matthee, C. 2007. Nuclear and mtDNA-based phylogeny of southern African sand lizards, <i>Pedioplanis</i> (Sauria:Lacertidae). <i>Molecular Phylogenetics and Evolution</i> 44:622-633.
393	Cottone, A. and Bauer, A.M. 2007. <i>Psammophis brevirostris</i> Peters 1881. Short-snouted Grass Snake. Diet. <i>African Herp News</i> 43:22-23.
394	Branch, W.R., Bauer, A.M., Jackman, T.R., and Marais, J. 2007. Geographical Distribution. <i>Homopus signatus</i> , Speckled Padloper. <i>African Herp News</i> 43:26-27.
395	Greenbaum, E., Jackman, T., and Bauer, A.M. 2007. <i>Homopholis</i> and <i>Blaesodactylus</i> (Squamata: Gekkonidae) revisited: new insights from a molecular phylogeny. <i>African Journal of Herpetology</i> 56:101-114.

396	Gamble, T., Bauer, A.M., Greenbaum, E., and Jackman, T.R. 2008. Evidence for Gondwanan vicariance in an ancient clade of gecko lizards. <i>Journal of Biogeography</i> 35:88-104.
397	Jackman, T.R., Bauer, A.M., Greenbaum, E., Glaw, F., and Vences, M. 2008. Molecular phylogenetic relationships among species of the Malagasy-Comoran gecko genus <i>Paroedura</i> (Squamata: Gekkonidae). <i>Molecular Phylogenetics and Evolution</i> 46:74-81.
398	Bauer, A.M. and Jackman, T. 2008. Global diversity of lizards in freshwater (Reptilia: Lacertilia). <i>Hydrobiologia</i> 595:581-586.
399	Bauer, A.M., Das, A., Ahmed, M.F. and Sarma, P.K. 2008. Notes on the distribution, taxonomy and biology of the skink <i>Eutropis dissimilis</i> (Reptilia: Squamata: Scincidae), with first records from Assam, India. <i>Hamadryad</i> 32:76-80.
400	Daszkiewicz, P. and Bauer, A.M. 2008. Antoni Andrzejowski and his Contributions to Early 19 th Century Knowledge of the Ukrainian Herpetofauna. <i>Bibliotheca Herpetologica</i> 7(2):14-21.
401	Giri, V. and Bauer, A.M. 2008. A new ground-dwelling <i>Hemidactylus</i> (Squamata: Gekkonidae) from Maharashtra, with a key to the <i>Hemidactylus</i> of India. <i>Zootaxa</i> 1700:21-34.
402	Ngo Van Tri and Bauer, A.M. 2008. Descriptions of two new species of <i>Cyrtodactylus</i> Gray 1827 (Squamata: Gekkonidae) endemic to southern Vietnam. <i>Zootaxa</i> 1715:27-42.
403	Tillack, F., Kucharzewski, C., Bauer, a.M. and Wallach, V. 2008. <i>Simotes semicinctus</i> Peters, 1862, a junior synonym of <i>Coronella austriaca</i> Laurenti, 1768 (Squamata: Serpentes: Colubridae). <i>Zoosyst. Evol.</i> 84:67-70.
404	Snyder, J.P., Snyder, L.A. and Bauer, A.M. 2008. <i>Rhacodactylus auriculatus</i> (Gargoyle Gecko). Sap feeding. <i>Herpetological Review</i> 39:93.
405	Cottone, A. and Bauer, A.M. 2008. <i>Psammophis biseriatus</i> (Link-marked Sand Snake). Diet. <i>Herpetological Review</i> 39:99.
406	Cottone, A.M. and Bauer, A.M. 2008. <i>Psammophis crucifer</i> (Cross-marked Grass Snake). Ophiophagy. <i>Herpetological Review</i> 39:100.
407	Bauer, A.M., Jackman, T., Sadlier, R.A., Shea, G. and Whitaker, A.H. 2008. A New Small-bodied Species of <i>Bavayia</i> (Reptilia: Squamata: Diplodactylidae) from southeastern New Caledonia. <i>Pacific Science</i> 62:247-256.
408	Dongare, D., Giri, V.B., and Bauer, A.M. 2008. Discovering New Life. <i>Hornbill Jan-Mar</i> 2008:32-33.

409	Bauer, A.M., Sumontha, M., and Pauwels, O.S.G. 2008. A new red-eyed <i>Gekko</i> (Reptilia: Gekkonidae) from Kanchanaburi Province, Thailand. Zootaxa 1750:32-42.
410	Cottone, A. and Bauer, A.M. 2008. <i>Psammophylax rhombeatus rhombeatus</i> (Linnaeus, 1758) and <i>Psammophis</i> spp. Tail autotomy. African Herp News 44:18-19.
411	Cottone, A. and Bauer, A.M. 2008. <i>Psammophylax rhombeatus rhombeatus</i> (Linnaeus, 1758). Behaviour. African Herp News 44:20-21.
412	Jackman, T.R., Bauer, A.M. and Greenbaum, E. 2008. Phylogenetic relationships of geckos of the genus <i>Nactus</i> and their relatives (Squamata: Gekkonidae). Acta Herpetol. 3:1-18.
413	Bauer, A.M. and Baker, B.W. 2008. An East Asian gecko <i>Gekko hokouensis</i> , Gekkonidae) intercepted in Champlain, New York, USA. Applied Herpetology 5:197-198.
414	Pauwels, O.S.G., Kunya, K. and Bauer, A.M. 2008. <i>Gehyra lacerata</i> . Geographic distribution. Herpetological Review 39:238.
415	Bauer, A.M. 2008. Atlante degli Anfibi e dei Rettili d'Italia/Atlas of Italian Amphibians and Reptiles [Book review]. Herpetological Review 39:247-248.
416	Bauer, A.M. 2008. Les Urodeles du Monde [Book Review]. Herpetological Review 39:252-253.
417	Bauer, A.M. 2008. Reptiles of the Solomon Islands [Book review]. Herpetological Review 39:253-254.
418	Gamble, T., Bauer, A.M., Greenbaum, E., and Jackman, T. 2008. Out of the blue: cryptic higher level taxa and a novel, trans-Atlantic clade of gecko lizards (Gekkota, Squamata). Zoologica Scripta.37:355-366.
419	Bauer, A.M. and de Silva, A. 2008. Return to Nilaveli: Edward Harrison Taylor's Sri Lankan hotspot revisited. The Herpetological Bulletin 102:5-11.
420	Cottone, A. and Bauer, A.M. 2008. Prey Excavation by <i>Psammophylax rhombeatus rhombeatus</i> (Colubridae: Psammophiinae) from South Africa. Herpetological Bulletin 103:11-15.
421	Bauer, A.M. 2008. Introduction aux les Gekkonidae. Pp. 92-94 In: Pauwels, O.S.G. and Vande weghe, J. P., Reptiles du Gabon. Smithsonian Institution, Washington, D.C.

422	Bauer, A.M. 2008. The Natural History of Hidden Animals [Book review]. Quarterly Review of Biology 83:325.
423	Sadlier, R.A., Smith, S.A., Whitaker, A.H. and Bauer, A.M. [2008]2009. A new live-bearing species of scincid lizard (Reptilia: Scincidae) from New Caledonia, Southwest Pacific. Pacific Science 63:123-136.
424	Bauer, A.M., Giri, V.B., Greenbaum, E., Jackman, T.R., Dharne, M.S., and Shouche, Y.S. 2008. On the systematics of the gekkonid genus <i>Teratolepis</i> Günther, 1869: another one bites the dust. Hamadryad 33:13-27.
425	Daza, J.D., Abdala, V., Thomas, R., and Bauer, A.M. 2008. Skull anatomy of the miniaturized gecko <i>Sphaerodactylus roosevelti</i> (Squamata: Gekkota). Journal of Morphology 269:1340-1364.
426	Bauer, A.M., Jackman, T.R., Greenbaum, E., and Gamble, T. 2008. Phylogenetic relationships of the Italian gekkotan Fauna. Pp. 59-62 in Corti, C. (ed.). Herpetologia Sardiniae. Oristano, Italy, Societas Herpetologica Italica.
427	De Silva, A. and Bauer, A.M. 2008. The origin of the word “gecko.” Bibliotheca Herpetologica 8:20-31.
428	Bauer, A.M. 2008. Science and Conservation of Vernal Pools in Northeastern North America [Book Review]. Herpetological Review 39:492-493.
429	Pauwels, O.S.G. and Bauer, A.M. 2008. Atlas des Reptiles du Cameroun [book review]. African Zoology 43:284-285.
430	Russell, A.P. and Bauer, A.M. 2008. The appendicular locomotor apparatus of <i>Sphenodon</i> and normal-limbed squamates. Pp. 1-466 in Gans, C., Gaunt, A., and Adler, K.K., eds. Biology of the Reptilia, vol. 21. Society for the Study of Amphibians and Reptiles, Ithaca, NY.
431	Bauer, A.M. 2008. Life in Cold Blood [Book Review]. Quarterly Review of Biology 83:416.
432	Bursey, C.R., Goldberg, S.R., and Bauer, A.M. 2009. A new species of <i>Falcaustra</i> (Nematoda: Kathlaniidae) from <i>Cnemaspis</i> aff. <i>tropidogaster</i> (Squamata: Gekkonidae) from Sri Lanka. Acta Parasitologica 54:41-44.
433	Wood, P. L. Jr., Grismer, J. L., Grismer, L. L., Norhayati, A., Onn, C. K. and Bauer, A. M. 2009. Two new montane species of <i>Acanthosaura</i> Gray, 1831 (Squamata: Agamidae) from Peninsular Malaysia. Zootaxa 2012:28-46.
434	Bauer, A.M. 2009. Geckos in traditional medicine — forensic implications. Applied Herpetology 6:81-96.

435	Cottone, A. and Bauer, A.M. 2009. Self-rubbing and substrate marking by the rhombic skaapsteker, <i>Psammophylax rhombeatus rhombeatus</i> (LINNAEUS, 1758). <i>Herpetozoa</i> 21:186-189.
436	Shea, G., Jourdan, H., Sadlier, R., and Bauer, A.M. Natural History of the New Caledonian whiptailed skink <i>Tropidoscincus variabilis</i> (Bavay, 1869) (Squamata: Scincidae). <i>Amphibia-Reptilia</i> 30 :207-220.
437	Bauer, A.M., Kunya, K., Sumontha, M., Niyomwan, P., Panitvong, N., Pauwels, O.S.G. , Chanhome, L., and Kunya, T. 2009. <i>Cyrtodactylus erythrops</i> (Squamata: Gekkonidae), a new cave-dwelling gecko from Mae Hong Son Province, Thailand. <i>Zootaxa</i> 2142:51-62.
438	Bhupathy, S., Chettri, B., and Bauer, A.M. 2009. Rediscovery and Revalidation of <i>Takydromus sikkimensis</i> (Günther, 1888) (Squamata: Lacertidae) from Sikkim, India. <i>Journal of Herpetology</i> 43:267-274.
439	Bauer, A.M., Jackman, T., Sadlier, R.A. and Whitaker, A.H. 2009. Review and phylogeny of the New Caledonian diplodactylid gekkotan genus <i>Eurydactylodes</i> Wermuth, 1965, with the description of a new species. <i>Mémoires du Muséum national d'Histoire naturelle</i> 198:13-36.
440	Sadlier, R.A., Smith, S.A., Bauer, A.M. and Whitaker, A.H. 2009. Three new species of skink in the genus <i>Marmorosphax</i> (Squamata: Scincidae) from New Caledonia. <i>Mémoires du Muséum national d'Histoire naturelle</i> 198:373-390.
441	Schneider, V. and Bauer, A.M. 2009. <i>Typhlosaurus jappi</i> Broadley, 1968, a valid species of acontine skink. <i>African Journal of Herpetology</i> 58:56-58.
442	Bauer, A.M. 2009. Eublepharidae. Pp. 298-299 in Jones, L. and Lovich, R. , eds. <i>Lizards of the American Southwest: A Photographic Field Guide</i> . Rio Nuevo Publishers, Tucson, AZ.
443	Giri, V.B., Bauer, A.M., and Gaikwad, K.S. 2009. A new ground dwelling species of <i>Cnemaspis</i> Strauch (Squamata: Gekkonidae) from the northern Western Ghats, Maharashtra, India. <i>Zootaxa</i> 2164:49-60.
444	Cottone, A. and Bauer, A.M. 2009. Sexual size dimorphism, diet, and reproductive biology of the Afro-Asian Sand Snake, <i>Psammophis schokari</i> (Psammophiidae). <i>Amphibia-Reptilia</i> 30:331-340.
445	Giri, V.B., Bauer, A.M., Vyas, R., and Patil, S. 2009. A New Species of Rock-dwelling <i>Hemidactylus</i> (Squamata: Gekkonidae) from Gujarat, India. <i>Journal of Herpetology</i> 43:385-393.
446	Bauer, A.M., Kennedy, A., Lewis, P., Thies, M., and Gabadirwe, M. 2009. The Herpetofauna of Koanaka South and adjacent regions, Ngamiland, Botswana. <i>The Herpetological Bulletin</i> 107:16-26.
447	Ngo, V.T., Bauer, A.M., Wood, P.L., and Grismer, J.L. 2009. A new species of <i>Gekko</i> Laurenti, 1768 (Reptilia, Gekkonidae) from Dong Nai Province, Southeastern Vietnam. <i>Zootaxa</i> 2238:33-42.

448	Wagner, P., Wilms, T., Bauer, A., and Böhme, W. 2009. Studies on African <i>Agama</i> V. On the origin of <i>Lacerta agama</i> Linnaeus, 1758 (Squamata: Agamidae). Bonn. zool. Beitr. 56:215-223.
449	Leaché, A.D., Chong, R.A., Papenfuss, T.J., Wagner, P., Böhme, W., Schmitz, A., Rödel, M.-O., LeBreton, M., Ineich, I., Chirio, L., Bauer, A.M., Eniang, E.A., and Baha El Din, S. 2009. Phylogeny of the genus <i>Agama</i> based on mitochondrial DNA sequence data. Bonn. zool. Beitr. 56:273-278.
450	Amarasinghe, A.A.T. and Bauer, A.M. 2009. On the holotype of <i>Cnemaspis podihuna</i> Deraniyagala, 1944. Taprobanica 1(2):80-82.
451	Amarasinghe, A.A.T., Bauer, A.M., Ineich, I., Rudge, J., Bahir, M.M., and Gabadage, D.E. 2009. The original descriptions and figures of Sri Lankan gekkonid lizards (Squamata: Gekkonidae of the 18 th , 19 th and 20 th centuries. Taprobanica 1(2):83-106, 4 pls.
452	Bauer, A.M., Hathaway, S.A. and Fisher, R.N. 2009. Polydactyly in the Central Pacific Gecko, <i>Lepidodactylus</i> sp. (Squamata: Gekkonidae). Herpetology Notes 2: 243-246.
453	Branch, W.R. and Bauer, A.M. 2009. Arthur Loveridge's notebook reunited. African Herp News 49:7-9.
454	Papenfuss, T.J., Jackman, T., Bauer, A., Stuart, B.L., Robinson, M.D., and Parham, J.F. 2009. Phylogenetic relationships among species in the sphaerodactylid lizard genus <i>Pristurus</i> . Proc. California Acad. Sci. 60:675-681.
455	Genome 10K Community of Scientists (includes AMB among 100+ authors). 2009. Genome 10K: a proposal to obtain whole-genome sequence for 10,000 vertebrate species. J. Heredity 100:659-674.
456	Cottone, A. and Bauer, A.M. 2009. Ecological notes on two sympatric <i>Psammophis</i> species from East Africa. African Journal of Herpetology 58:126-130.
457	Giri, V., Agarwal, I., and Bauer, A.M. 2009 [2010]. Designation of a neotype for <i>Cnemaspis mysoriensis</i> (Jerdon 1853) (Sauria: Gekkonidae), with a redescription and notes on its distribution and habitat. Russian Journal of Herpetology 16:256-264.
458	Cottone, A.M., and Bauer, A.M. 2009 [2010]. Sexual size dimorphism and reproduction in the Asian sand snake <i>Psammophis condanarus</i> (Psamophiidae). Hamadryad 34:181-184.
459	Daza, J.D. and Bauer, A.M. 2010. The Circumorbital bones of the Gekkota (Reptilia: Squamata). Anatomical Record 293:402-413.
460	Snyder, J., Snyder, L., and Bauer, A.M. 2010. Ecological observations on the Gargoyle Gecko, <i>Rhacodactylus auriculatus</i> (Bavay, 1869) in southern New Caledonia. Salamandra 46:37-47.

461	Pauwels, O.S.G., Chan-ard, T., Wanchai, P., Kheowyoo, B. and Bauer, A.M. [2009] 2010. Reptile diversity of Phetchaburi Province, Western Thailand: an update. <i>Hamadryad</i> 34:9-21.
462	Daszkiewicz, P. and Bauer, A.M. 2010. Jean-Emmanuel Gilibert and a lost chapter in the history of chelonian anatomy. <i>Bibliotheca Herpetologica</i> 8(2):6-19.
463	Sinervo, B., Mendez-De la Cruz, F., Miles, D.B., Heulin, B., Bastiaans, E., Villagran-Santa Cruz, M., Lara-Resendiz, R., Martinez-Mendez, N., Calderon-Espinosa, M.L., Mesa-Lazaro, R.N., Gadsden, H., Avila, L.J., Morando, M., De la Riva, I.J., Sepulveda, P.V., Rocha, C.F.D.R., Ibarguengoytia, N., Puntriano, C.A., Massot, M., Lepetz, V., Oksanen, T.A., Chapple, D., Bauer, A.M., Branch, W., Cloibert, J., and Sites, J.W., Jr. In press. Erosion of lizard diversity by climate change and altered thermal niches. <i>Science</i> 328:894-899.
464	Bauer, A.M. 2010. Reminiscences of Carl Gans. <i>Herpetological Review</i> 41:147–148.
465	Hettiarachchi, D.K., Wellapuliarachchi, S.M., Nathanael, E.S., de silva, A., Goonasekera, M.M., Bauer, A.M., and rudge, J. 2010. Mihintale Sanctuary: a hotspot for the endangered dwarf day gecko <i>Cnemaspis podihuna</i> Deraniyagala, 1994 (Reptilia: Gekkonidae). <i>Gekko</i> 6(1):61-64.
466	Bauer, A.M., Kunya, K., Sumontha, M., Niyomwan, P., Pauwels, O.S.G., Chanhome, L., and Kunya, T. 2010. <i>Cyrtodactylus dumnnui</i> (Squamata: Gekkonidae), a new cave-dwelling gecko from Chiang Mai Province, Thailand. <i>Zootaxa</i> 2570:41–50.
467	Bauer, A.M., Jackman, T.R., Greenbaum, E., Giri, V., and De Silva, A. 2010. South Asia supports a major endemic radiation of <i>Hemidactylus</i> geckos. <i>Molecular Phylogenetics and Evolution</i> 57:343-352.
468	Bauer, A.M., Jackman, T.R., Greenbaum, E., de Silva, A., Giri, V.B., and Das, I. 2010. Molecular evidence for the taxonomic status of <i>Hemidactylus brookii</i> group taxa (Squamata: Gekkonidae). <i>The Herpetological Journal</i> 20:129-138.
469	Bauer, A.M. 2010. Guest Editorial: Biodiversity of a dry zone forest. <i>Lyriocephalus</i> 7:7.
470	Hettiarachchi, D.K., Wellapuliarachchi, Nathanael, E.S., de Silva, A., Goonasekera, M.M., Bauer, A.M. and Rudge, J. 2010. The gecko diversity of the Mihintale Sanctuary, Sri Lanka. <i>Lyriocephalus</i> 7:33-41, pl. 2 (part).
471	Hettiarachchi, D.K., Wellapuliarachchi, Nathanael, E.S., de Silva, A., Goonasekera, M.M., Bauer, A.M. and Rudge, J. 2010. Notes on the biology and the ecology of the endemic gecko <i>Hemidactylus depressus</i> (Reptilia: Gekkonidae) in the Mihintale Sanctuary, Sri Lanka. <i>Lyriocephalus</i> 7:33-43-47, pl. 2 (part).
472	Chandrarathna, W.P.R., Nathanael, E.S., de Silva, A., Goonasekera, M.M., Bauer, A.M. and Rudge, J. 2010. Ecology of <i>Hemidactylus triedrus lankae</i> (Reptilia: Gekkonidae), an endemic gecko inhabiting the premises of Rajarata University, Mihintale, Sri Lanka. <i>Lyriocephalus</i> 7:51-55, pl. 3 (part).

473	Papenfuss, T.J., Jackman, T.R., Bauer, A.M., Stuart, B.L., Robinson, M.D., and Parham, J.F. 2010. Phylogenetic relationships among species of southwest Asian leaf-toed geckos (<i>Asaccus</i>). Proceedings of the California Academy of Sciences 61:587-596.
474	Heinicke, M., Greenbaum, E., Jackman, T.R., and Bauer, A.M. 2010. Molecular phylogenetics of Pacific <i>Nactus</i> (Squamata: Gekkonidae) and the diphyle of Australian species. Proc. California Acad. Sci. 61:633-646.
475	Lamb, T., Biswas, S., and Bauer, A.M. 2010. A phylogenetic reassessment of African fossorial skinks in the subfamily Acontinae (Squamata: Scincidae): evidence for parallelism and polyphyly. Zootaxa 2657:33-46.
476	Bauer, A.M. 2010. A new species of <i>Pachydactylus</i> (Squamata: Gekkonidae) from the Otavi Highlands of northern Namibia. Bonn Zoological Journal 57:257-266.
477	Purkayastha, P., Das, M., Bauer, A.M., Sengupta, S., and Dutta, S.K. 2010. Notes on the <i>Hemidactylus bowringii</i> complex (Reptilia: Gekkonidae) in India and a change to the national herpetofaunal list. Hamadryad 35:20-27.
478	Čerňanský, A. and Bauer, A.M. 2010. <i>Euleptes gallica</i> Müller (Squamata: Gekkota: Sphaerodactylidae) from the Czech Republic. Folia Zoologica 59:323-328.
479	Portik, D., Bauer, A.M., and Jackman, T.R. 2010. The phylogenetic affinities of <i>Trachylepis sulcata nigra</i> and the intraspecific evolution of coastal melanism in the western rock skink. African Zoology 45:147-159.
480	Cottone, A. and Bauer, A.M. 2010. Sexual dimorphism, diet, reproduction and their geographic variation in sympatric psammophiids, <i>Psammophis crucifer</i> and <i>Psammophylax rhombeatus rhombeatus</i> , from southern Africa. Copeia 2010:578-590.
481	Bauer, A.M. and McCarthy, C.J. 2010. Darwin's pet Galápagos tortoise, <i>Chelonoidis darwini</i> , rediscovered. Chelonian Conservation and Biology 9:270-276.
482	Daszkiewicz, P. and Bauer, A.M. 2010. Szymon Tenenbaum, a forgotten contributor to the herpetology of the Balearic Islands. Boletín de la Asociación Herpetológica Española 21:131-137.
483	Hitchmough, R., Nielsen, S., Bauer, A., and Jackman, T. 2010. New Zealand's geckos – a speciose endemic radiation with probable vicariant, Gondwanic origins [abstract]. New Zealand Journal of Zoology 37:83.
484	Stanley, E., Bauer, A.M., Jackman, T., Branch, W.R. and Mouton, P.leF.N. 2011. Between a rock and a hard polytomy: Rapid radiation in the rupicolous Girdled Lizards (Squamata: Cordylidae). Molecular Phylogenetics and Evolution 58:53-70.
485	A. M. Bauer, Parham, J.F., Brown, R.M., Stuart, B.L., Grismer, L.L., Papenfuss, T.J., Böhme, W., Savage, J.M., Carranza, S., Grismer, J.L., Wagner P., Ananjeva, N.B., and Inger, R.F. 2011. Availability of new Bayesian-delimited gecko names and the importance of character-based species descriptions. Proceedings of the Royal Society B 278:490-492.

486	Gamble, T., Bauer, A.M., Colli, G.R., Greenbaum, E., Jackman, T.R., Vitt, L.J., and Simons, A.M. 2011. Coming to America: multiple origins of New World geckos. <i>Journal of Evolutionary Biology</i> 24:231–244.
487	Agarwal, I., Giri, V., and Bauer, A.M. 2011. A new cryptic rock-dwelling <i>Hemidactylus</i> (Squamata: Gekkonidae) from south India. <i>Zootaxa</i> 2765:21–37.
488	Nielsen, S.V., Bauer, A.M., Jackman, T.R., Hitchmough, R.A., and Daugherty, C.H. 2011. New Zealand geckos (Diplodactylidae): cryptic diversity in a post-Gondwanan lineage with trans-Tasman affinities. <i>Molecular Phylogenetics and Evolution</i> 59:1–22.
489	Portik, D., Bauer, A.M., and Jackman, T.R. 2011. Bridging the gap: Western Rock Skinks (<i>Trachylepis sulcata</i>) have a short history in South Africa. <i>Molecular Ecology</i> 20:1744–1758.
490	Oliver, P.M. and Bauer, A.M. 2011. Systematics and evolution of the Australian knob-tail geckos (<i>Nephrurus</i> , Carphodactylidae, Gekkota): Plesiomorphic grades and biome shifts through the Miocene. <i>Molecular Phylogenetics and Evolution</i> 59:664–674.
491	Bauer, A.M. 2011. The evolution of the adhesive system of geckos [Japanese abstract]. <i>Bull. Herpetol. Soc. Japan</i> 2011(1):78.
492	Das, M., Purkayastha, J., Bauer, A., and Sengupta, S. 2011. <i>Hemidactylus flaviviridis</i> Rüppell, 1835 (Sauria: Gekkonidae) an invasive gecko in Assam. <i>North-Western Journal of Zoology</i> 7:98–104.
493	Branch, W.R., Bauer, A.M., Jackman, T.R., and Heinicke, M. 2011. A new species of the <i>Pachydactylus weberi</i> complex (Reptilia: Squamata: Gekkonidae) from the Namib-Rand Reserve, southern Namibia. <i>Breviora</i> 524:1–15.
494	Bauer, A.M., Glaw, F., Gehring, P.-S., and Vences, M. 2011. New species of <i>Blaesodactylus</i> (Squamata: Gekkonidae) from Ankafantsika National Park in north-western Madagascar. <i>Zootaxa</i> 2942: 57–68.
495	Rösler, H., Bauer, A.M., Heinicke, M., Greenbaum, E., Jackman, T., Nguyen, T.Q., and Ziegler, T. 2011. Phylogeny, taxonomy, and zoogeography of the genus <i>Gekko</i> Laurenti, 1768 with the revalidation of <i>G. reevesii</i> Gray, 1831 (Sauria: Gekkonidae). <i>Zootaxa</i> 2989:1–50.
496	Bauer, A.M. 2011. “Us” versus “Us & Them”, Reptiles & amphibians and the need for common ground [invited commentary]. <i>IRCF Reptiles and Amphibians</i> 18:192.
497	Goldberg, S.R., Bursey, C.R., Bauer, A.M., de Silva, A., and Austin, C.C. 2011. Helminths from 9 species of geckos (Squamata: Gekkonidae) from Sri Lanka. <i>Comparative Parasitology</i> 78:359–366.
498	Heinicke, M., Adderly, L.M., Bauer, A.M., and Jackman, T. 2011. A long-known new species of gecko allied to <i>Pachydactylus bicolor</i> (Squamata: Gekkonidae) from the central Namibian coast. <i>African Journal of Herpetology</i> 60:113–129.

499	Lorvelec, O., Levesque, A., and Bauer, A.M. 2011. First record of the Mourning Gecko (<i>Lepidodactylus lugubris</i>) on Guadeloupe, French West Indies. <i>Herpetology Notes</i> 4:291–294.
500	Heinicke, M., Greenbaum, E., Jackman, T.R., and Bauer, A.M. 2011. Phylogeny of a trans-Wallacean radiation (Squamata, Gekkonidae, <i>Gehyra</i>) supports a single early colonization of Australia. <i>Zoologica Scripta</i> 40:584–602.
501	Wagner, P. and Bauer, A.M. 2011. A new dwarf <i>Agama</i> (Sauria: Agamidae) from Ethiopia. <i>Breviora</i> 527:1–19.
502	Cottone, A.M., and Bauer, A.M. 2011. Variably occurring parietal pits in psamophiid snakes (Squamata: Serpentes): convergent expression of ancestral skin traits? <i>Herpetology Notes</i> 4:381–385.
503	Gamble, T., Daza, J., Bauer, A.M., Vitt, L.A., Colli, G., and Simons, A. 2011. A new genus of miniaturized and pug-nosed gecko from South America (Sphaerodactylidae: Gekkota). <i>Zoological Journal of the Linnaean Society</i> 163:1244–1266.
504	Bauer, A.M., Heinicke, M., Jackman, T.R., and Branch, W.R. 2011. Systematics of the <i>Pachydactylus mariquensis</i> group of geckos (Reptilia: Squamata: Gekkonidae): status of <i>P. mariquensis latirostris</i> , <i>P. m. macrolepis</i> and <i>P. amoenus</i> . <i>Navorsinge van die Nationale Museum Bloemfontein</i> 27:85–107.
505	Lovich, R. and A.M. Bauer. 2011. Rock-dwelling reptiles. Pp. 167–171 in <i>Reptile Biodiversity: Standard Methods for Inventory and Monitoring</i> , edited by R.W. McDiarmid, M.S. Foster, C. Guyer, J.W. Gibbons, and N. Chernoff. University of California Press, Berkeley.
506	Bauer, A.M. 2012. Linnaean names and pre-Linnaean sources in herpetology. <i>Bibliotheca Herpetologica</i> 9:53–79.
507	Bauer, A.M. and Doughty, P. 2012. A new bent-toed gecko (Squamata: Gekkonidae: <i>Cyrtodactylus</i>), from the Kimberley region, Western Australia. <i>Zootaxa</i> 3187:32–42.
508	Bauer, A.M. and Wagner, P. 2012. Previously unrecognized types from the Baudin Expedition (1800–1804) in the Naturhistorisches Museum Wien. <i>Herpetozoa</i> 24:135–147.
509	Daza, J.D., Travers, S.L., and Bauer, A.M. 2012. New records of the mourning gecko <i>Lepidodactylus lugubris</i> (Duméril and Bibron, 1836) (Squamata: Gekkonidae) from Colombia. <i>CheckList</i> 8:164–167.
510	Sadlier, R., Whitaker, A.H., Wood, P.L., Jr., and Bauer, A.M.. 2012. A new species of scincid lizard in the genus <i>Caledoniscincus</i> (Reptilia: Scincidae) from northwest New Caledonia. <i>Zootaxa</i> 3229:47–57.
511	Oliver, P., Bauer, A.M., Greenbaum, E., Jackman, T., Hobbie, T., and Sadlier, R. 2012. Molecular phylogenetics of the arboreal Australian gecko genus <i>Oedura</i> Gray 1842 (Gekkota: Diplodactylidae): Another plesiomorphic grade? <i>Molecular Phylogenetics and Evolution</i> 63:255–264.

512	Bauer, A.M. and Baker, B. 2012. The Lake Champlain Frontier as a portal for accidentally introduced Asian geckos. IRCF Reptiles & Amphibians 19:60–63.
513	Wagner, P., Greenbaum, E., and Bauer, A.M. 2012. A new species of the <i>Acanthocercus atricollis</i> (Squamata: Agamidae) complex from Zambia. Salamandra 48:21–30.
514	Bauer, A.M., Sadlier, R.A., Jackman, T.R., and Shea, G. In press. A new member of the <i>Bavayia cyclura</i> species group (Reptilia: Squamata: Diplodactylidae) from the southern ranges of New Caledonia. Pacific Science 66:239–247.
515	Powell, R. and A.M. Bauer. 2012. <i>Anolis gingivinus</i> . Catalogue of American Amphibians and Reptiles 893.1–8.
516	John, R.R., Bentz, E.J., Rivera Rodríguez, M.J., Bauer, A.M., and Powell, R. 2012. <i>Bachia heteropa</i> . Catalogue of American Amphibians and Reptiles 894.1–9.
517	Powell, R. and A.M. Bauer. 2012. <i>Sphaerodactylus sputator</i> . Catalogue of American Amphibians and Reptiles 897.1–7.
518	Daza, J. and Bauer, A.M. 2012. A new amber-embedded sphaerodactyl gecko from Hispaniola, with comments on morphological synapomorphies of the Sphaerodactylidae. Breviora 529:1–28.
519	Bauer, A.M. 2012. The Eponym Dictionary of Reptiles [Review]. Quarterly Review of Biology 87:170.
520	Wagner, P., Bauer, A.M., Wilms, T.M., Barts, M., and Böhme, W. 2012. Miscellanea accrodontia: notes on nomenclature, taxonomy and distribution. Russian Journal of Herpetology 19:177–189.
521	Gamble, T., Greenbaum, E., Russell, A.P., Jackman, T.R., and Bauer, A.M. 2012. Repeated origin and loss of toepads in geckos. PLoS ONE 7(6): e39429. Doi:10.1371/journal.pone.0039429.
522	Bauer, A.M., Jackman, T.R., Sadlier, R.A. and Whitaker, A.H. 2012. Revision of the giant geckos of New Caledonia (Reptilia: Diplodactylidae: <i>Rhacodactylus</i>). Zootaxa 3404:1–52.
523	Johnson, C.B., Quah, W., Anuar, S., Muin, M.A., Wood, P.L., Jr., Grismer, J.L., Greer, L.F., Chan, K.O., Norhayati, A., Bauer, A.M., and Grismer, L.L. 2012. Phylogeography, geographic variation, and taxonomy of the Bent-toed Gecko <i>Cyrtodactylus quadrivirgatus</i> Taylor, 1962 from Peninsular Malaysia with the description of a new swamp dwelling species. Zootaxa 3406:39–58.